



# KITCHEN


## APPLIANCE COLLECTION





# FEATURES & FUNCTIONS ICONOGRAPHY


## FREQUENT ICONS



## OVENS, COMPACTS & WARMING DRAWERS



## MICROWAVES




## HOBS






# FEATURES & FUNCTIONS ICONOGRAPHY

## HOODS



## WINE COOLERS



## REFRIGERATION



## LAUNDRY



## DISHWASHERS







We make every reasonable effort to ensure the accuracy and validity of the information provided in our brochures. However, as policies, price points, dates, conditions, and information are continually changing, **CATA UK / APELSON APPLIANCES UK LTD.** reserve the right to change at any time without notice. Non-contractual photographs. The technical characteristics indicated in the catalogue must be verified by the **THE MANUFACTURER**.

© Design, layout, images and content are the property of CATA / APELSON APPLIANCES UK LTD.





## KITCHEN APPLIANCE COLLECTION





## Welcome

Apelson Appliances with our brand CATA are specialists in the built in market committed to offering the latest in technology and design. Our proposition to the market is very unique as we offer a full suite of built in appliances that are unbranded therefore allowing our trading partners to market under their own brand or with our brand CATA.

Apelson Appliances UK Ltd is a subsidiary of the CNA Group who are a global leader in the home appliances sector with recognition across the world. The CNA Group have been developing our products for more than 70 years and strive to offer excellent products in both design and performance. Since the beginning CNA Group has been a pioneer in the domestic extraction and hob business, with a wide range of products covering all major domestic appliance categories.

Our UK head office is located in Normanton, near Castleford, West Yorkshire and it's from here we operate a fully employed and dedicated service and sales support teams, in addition to our supply chain, logistics, quality, technical, product management and marketing teams.



An endorsement of our range and its quality is the 5 year parts and 3 years labour warranty we offer on Cata branded products, with 5 year parts and 2 years labour on unbranded products.



Cata UK offices and warehousing at Normanton, West Yorkshire, UK







<b>About CATA UK</b>	p5-6
<b>The Cata Family Structure</b>	p7-8
<b>Ovens &amp; Compacts</b>	p9-28
<b>Microwaves</b>	p29-42
<b>Hobs</b>	p43-70
<b>Cooker Hoods</b>	p71-100
<b>Cooking Accessories</b>	p101-104
<b>Wine Coolers</b>	p105-116
<b>Refrigeration</b>	p117-130
<b>Laundry</b>	p131-138
<b>Dishwashers</b>	p139-146
<b>Cata UK Guarantee</b>	p147
<b>Customer Services</b>	p147





## Spanish Heritage

Cata Electrodomésticos, S.L., established in 1947 in Torelló, Spain, is a renowned leader in the household appliance industry with a rich history of innovation and excellence. As pioneers in domestic extraction, we've continuously grown our expertise. We offer a comprehensive range of high quality home appliances, including stylish cooker hoods, state-of-the-art hobs, high performing ovens, compacts, microwaves, dishwashers, washing machines, refrigerators, and wine coolers.

## Our Values & Experience

Our commitment to customers drives our design and development, guided by research and an understanding of evolving needs. We create innovative, functional, efficient, durable, and reliable solutions with sustainability in mind, using premium components and cutting-edge techniques. With over seven decades of expertise, we craft each product with precision to meet the highest standards, ensuring exceptional quality and reliability.





## Cata UK Service Aftercare

At Cata UK Appliances care of Apelson Appliances UK Ltd, we are dedicated to supporting the full life cycle of our products, ensuring they continue to perform at their best for years to come.

Our highly skilled, in-house Service Team are readily available to provide expert assistance whenever you need it. With a remarkable 90% first-time fix rate across our entire range, we are committed to resolving issues efficiently and effectively.

## Energy Efficiency & Environment

We combine our passion for innovation with a strong commitment to the environment. At Cata, we believe your kitchen can be both stylish and energy-efficient without sacrificing performance. Driven by a vision for a cleaner, more sustainable future, we design appliances that prioritise eco-friendly operation and low energy consumption. Our products are built to reduce environmental impact, promote sustainability, and deliver real savings - benefiting both your home and the planet.





## Introducing the Cata UK Collection: Designed for Every Home

We believe that quality, innovation, and affordability should work in harmony to create appliances that enhance everyday living. Our structured range - Cata 100, Cata 300, Cata 500, and Cata 700 - offers a clear path to finding the right solution for every kitchen, whether you're looking for reliable essentials or cutting-edge performance.

### CATA 100

#### **CATA 100 - Essential Performance, Everyday Reliability**

Designed for practicality and efficiency, the Cata 100 range offers dependable appliances that meet the needs of modern living. With a focus on simplicity and functionality, this collection provides quality and reliability at an accessible price point, making it an excellent choice for everyday kitchens.

### CATA 300

#### **CATA 300 - Enhanced Features, Greater Convenience**

Step up with the Cata 300 range, where thoughtful design meets improved functionality. This collection offers upgraded features, enhanced performance, and stylish aesthetics, providing a balance between practicality and modern innovation. Perfect for those seeking a little extra in their kitchen.

### CATA 500

#### **CATA 500 - Enhanced Design, Exceptional Performance**


Blending sleek aesthetics with high-performance technology, the Cata 500 range is crafted for those who expect more from their appliances. With superior build quality, intuitive controls, and innovative features, this collection delivers efficiency and style to elevate the heart of the home.

### CATA 700


#### **CATA 700 - The Ultimate in Kitchen Innovation**

















The premium feel edge that your kitchen has been longing for. Sleek, seamlessly designed products that will slide straight in to your kitchen to give it the premium look.

For those who demand the very best, the Cata 700 range represents the pinnacle of kitchen technology and design. This collection redefines home cooking, ensuring unparalleled performance, durability, and elegance.







FAMILY	OVEN	MICROWAVE	HOB	HOOD
<b>CATA 700</b> Premium Cata Branded	 <b>CAT72PYBK</b>	 <b>CAT45CMBK</b>	 <b>CATINDE60HF</b>	 <b>CATAGM60MB</b>
<b>CATA 500</b> Best Unbranded	 <b>UBC72MF</b>	 <b>UBC45CM</b>	 <b>ICONFLEX60F</b>	 <b>ICON60H</b>
<b>CATA 300</b> Better Unbranded	 <b>UBO754BK</b>	 <b>UB25MGBK</b>	 <b>UBGOG601BK</b>	 <b>UBSBOX60BK</b>
<b>CATA 100</b> Good Unbranded	 <b>CUL57MMBK.1</b>	 <b>UBPBK20LC.1</b>	 <b>UBINDE60MT</b>	 <b>UBSCH60BK.1</b>







## OVENS





## OVEN & COMPACT RANGE OVERVIEW

### SINGLE OVENS

#### CATA 100



**CUL57MMSS.1** p15



**CUL57MMBK.1** p15



**CUL57PGSS.2** p16



**CUL57PGBK.2** p16

#### CATA 300



**UBO651SS** p17



**UBO651BK** p17



**UBO652SS.1** p18



**UBO652BK.1** p18



**UBO653SS.1** p19



**UBO653BK.1** p19



**SWING60SS** p20



**UBO753SS** p21



**UBO753BK** p21



**UBO754SS** p22



**UBO754BK** p22



## SINGLE OVENS

## CATA 500



UBC72MF p23



UBC72PY p23



UBC45CM p24



UBC14WD p24

## CATA 700



CAT72MFBK p25



CAT72PYBK p25



CAT45CMBK p26




CAT14WDBK p26

## DOUBLE OVENS

## CATA 300



UBDO901SS p27



UBDO901BK p27

## GAS OVENS

## CATA 100



UBGMMT60SS p28



## CATA OVENS – FEATURES & BENEFITS

### Introduction

Discover the Cata oven range, blending versatility and innovation to transform your kitchen. Featuring single electric, double-cavity electric and gas ovens with cavities from 54 to 78 litres, our lineup suits every chef. Opt for high-spec models with pyrolytic self-cleaning for hassle-free upkeep or full touch control for seamless precision. With Cata, you get premium performance, striking design, and cutting-edge convenience, making every meal a triumph, no matter your cooking style.

\* Note - not all features are available on all Cata models, please refer to individual model specs for details.



### 3D

The "3D" cooking function in Cata ovens uses multiple heating elements and a rear fan for even, three-dimensional heat distribution. It's great for baking multiple trays, roasting large joints, or cooking complex dishes like lasagne on all levels. Benefits include uniform cooking without tray rotation, shorter pre-heating time, faster cooking times, greater dough rise for bread, and the ability to prepare diverse foods simultaneously without flavor mixing, ideal for busy or large meals.



### Easy Clean Enamel

The easy clean enamel coating in our ovens, is a smooth, non-porous finish applied to the interior that resists grease and food splatter. It prevents staining and burning-on, making it simple to wipe clean with a damp cloth, often without harsh chemicals. This means less scrubbing and maintenance time, prolonged oven cleanliness, and a hygienic surface that reduces bacteria buildup, keeping your oven in top condition with minimal effort.



### Vap-Clean

The Vap-Clean function uses steam (water vapour) to loosen grease and food residue inside the oven cavity. A glass of water is poured into the oven base or into a small tray placed at the bottom of the oven. The oven heats the water to create steam that softens debris for easy wiping. Vap-Clean provides a gentler, eco-friendly cleaning method for your oven cavity.



### Pyro-Clean

During the pyrolytic cleaning process the oven heats up to approximately 450°C at which the temperature is kept for 1 hour while the door is locked for safety purposes. At this temperature, residues from roasting, grilling and baking are reduced to a thin layer of ash that can simply be wiped away with a damp cloth.



### Optimal Cooking

Rapid pre-heating function activates all heating elements to allow the oven to reach the selected temperature as quickly as possible.

True fan cooking to provide uniform distribution of temperature at all levels in the cavity, for even cooking of food.



### Telescopic Rails

Telescopic rails are sliding metal tracks attached to the oven's interior, allowing oven shelves to extend out smoothly. They assist easy loading and unloading of heavy trays or dishes, such as roasts or casseroles, without tilting or struggling to reach the back. This allows safer handling with reduced risk of spills, easier access for checking food, and less strain on your wrists, making cooking and cleaning more convenient.



### Cool Touch Door

A cool touch oven door, featuring multiple layers of glass and heat reflective coatings, stays safe to touch even during high-temperature cooking. Advantages are enhanced safety and peace of mind, with reduced burn risks, especially for households with children. It also aids a cooler kitchen environment, making it ideal for busy or family kitchens.



### Active Cool

Our Active Cool system helps provide a cooler exterior surface on the oven door, thus extra peace of mind and safety for little hands even during the pyrolytic function.

Standard for our 78L Pyrolytic Built-in Ovens.



### Removable Door

All Cata ovens come with removable oven doors, allowing you to take it off its hinges for easier cleaning or maintenance. This provides better access to the glass panels and frame, to remove baked on grease and grime, reducing the risk of injury and simplifying deep cleaning tasks. Removing the door also helps if there is need to replace or repair the door if damaged.



### Removable Glass

A removable inner glass panel on an oven door allows you to take it out for thorough cleaning, removing grease and food splatter that builds up between layers. Benefits include easier access to hidden spots, ensuring a spotless and hygienic oven interior.





## SLIM DEPTH OVENS



**CUL57MMSS.1**

4 FUNCTION OVEN



**CUL57MMBK.1**

4 FUNCTION OVEN




### KEY FEATURES

**54L Capacity · 4 Functions · Easy Clean Enamel**  
**Slim 530mm Install Depth**

### SPECIFICATION

- True fan with grill
- Oven light
- Stainless steel control panel
- Aluminium rotary knobs
- Black glass door with aluminium handle
- 1x oven shelf, 1x oven tray, 1x trivet
- A energy rating
- 2350W total power
- Cable with UK plug (13A connection)
- Slim 530mm installation depth
- W595 x H590 x D545 mm




### KEY FEATURES

**54L Capacity · 4 Functions · Easy Clean Enamel**  
**Slim 530mm Install Depth**

### SPECIFICATION

- True fan with grill
- Oven light
- Black glass control panel
- Black rotary knobs
- Black glass door with black handle
- 1x oven shelf, 1x oven tray, 1x trivet
- A energy rating
- 2350W total power
- Cable with UK plug (13A connection)
- Slim 530mm installation depth
- W595 x H590 x D545 mm





## SLIM DEPTH OVENS



## CUL57PGSS.2

4 FUNCTION OVEN




## KEY FEATURES

**54L Capacity • 4 Functions • Easy Clean Enamel**  
**White LED Touch Programmer**  
**Slim 530mm Install Depth**

## SPECIFICATION

- True fan with grill
- Oven light
- Stainless steel control panel
- Aluminium rotary knobs
- Black glass door with aluminium handle
- 1x oven shelf, 1x oven tray, 1x trivet
- A energy rating
- 2350W total power
- Cable with UK plug (13A connection)
- Slim 530mm installation depth
- W595 x H590 x D545 mm



## CUL57PGBK.2

4 FUNCTION OVEN




## KEY FEATURES

**54L Capacity • 4 Functions • Easy Clean Enamel**  
**White LED Touch Programmer**  
**Slim 530mm Install Depth**

## SPECIFICATION

- True fan with grill
- Oven light
- Black glass control panel
- Black rotary knobs
- Black glass door with black handle
- 1x oven shelf, 1x oven tray, 1x trivet
- A energy rating
- 2350W total power
- Cable with UK plug (13A connection)
- Slim 530mm installation depth
- W595 x H590 x D545 mm





## STANDARD OVENS



**UBO651SS**  
4 FUNCTION OVEN




### KEY FEATURES

65L Capacity • 4 Functions • Easy Clean Enamel  
Minute Minder

### SPECIFICATION

- True fan with grill
- Oven light
- Stainless steel control panel
- Silver rotary knobs
- Black glass door with aluminium handle
- 1x oven shelf, 1x oven tray, 1x trivet
- A energy rating
- 2000W total power
- Cable with UK plug (13A connection)
- W595 x H595 x D575 mm



**UBO651BK**  
4 FUNCTION OVEN




### KEY FEATURES

65L Capacity • 4 Functions • Easy Clean Enamel  
Minute Minder

### SPECIFICATION

- True fan with grill
- Oven light
- Black glass control panel
- Silver rotary knobs
- Black glass door with aluminium handle
- 1x oven shelf, 1x oven tray, 1x trivet
- A energy rating
- 2000W total power
- Cable with UK plug (13A connection)
- W595 x H595 x D575 mm





## STANDARD OVENS



## UBO652SS.1

4 FUNCTION OVEN




## KEY FEATURES

65L Capacity • 4 Functions • Easy Clean Enamel  
Red LED Touch Programmer

## SPECIFICATION

- True fan with grill
- Oven light
- Stainless steel control panel
- Silver rotary knobs
- Black glass door with aluminium handle
- 1x oven shelf, 1x oven tray, 1x trivet
- A energy rating
- 2000W total power
- Cable with UK plug (13A connection)
- W595 x H595 x D575 mm



## UBO652BK.1

4 FUNCTION OVEN




## KEY FEATURES

65L Capacity • 4 Functions • Easy Clean Enamel  
Red LED Touch Programmer

## SPECIFICATION

- True fan with grill
- Oven light
- Black glass control panel
- Silver rotary knobs
- Black glass door with aluminium handle
- 1x oven shelf, 1x oven tray, 1x trivet
- A energy rating
- 2000W total power
- Cable with UK plug (13A connection)
- W595 x H595 x D575 mm





## STANDARD OVENS



### UBO653SS.1

MULTIFUNCTION OVEN




#### KEY FEATURES

65L Capacity • 9 Functions • Easy Clean Enamel  
Red LED Touch Programmer

#### SPECIFICATION

- True fan with grill
- Oven light
- Stainless steel control panel
- Silver rotary knobs
- Black glass door with aluminium handle
- 1x oven shelf, 1x oven tray, 1x trivet
- A energy rating
- 2600W total power
- Cable with UK plug (13A connection)
- W595 x H595 x D575 mm



### UBO653BK.1

MULTIFUNCTION OVEN




#### KEY FEATURES

65L Capacity • 9 Functions • Easy Clean Enamel  
Red LED Touch Programmer

#### SPECIFICATION

- True fan with grill
- Oven light
- Black glass control panel
- Silver rotary knobs
- Black glass door with aluminium handle
- 1x oven shelf, 1x oven tray, 1x trivet
- A energy rating
- 2600W total power
- Cable with UK plug (13A connection)
- W595 x H595 x D575 mm





## EASY ACCESS OVEN

Left hand hinged



Right hand hinged (as supplied)



## SWING60SS

SIDE OPENING MULTIFUNCTION OVEN

CATA 300




## KEY FEATURES

**67L Capacity • 8 Functions • Easy Clean Enamel**  
**Blue LED Touch Programmer**  
**Side Opening Reversible Door • 2 Oven Shelves**

## SPECIFICATION

- True fan with grill
- Oven light
- Stainless steel control panel
- Silver rotary knobs
- Black glass door with aluminium handle
- 2x oven shelves, 1x oven tray, 1x trivet
- A energy rating
- 3220W total power
- Cable with UK plug (16A connection)
- W595 x H595 x D570 mm





XXL OVENS



UBO753SS  
HYDROLYTIC OVEN




KEY FEATURES

78L Capacity • Vap-Clean Hydrolytic Cleaning  
Red LED Touch Programmer  
9 Functions • 2 Oven Shelves • Cool Touch Door

SPECIFICATION

- True fan with grill
- Oven light
- Stainless steel control panel
- Silver rotary knobs
- Black glass door with aluminium handle
- 2x oven shelves, 1x oven tray, 1x trivet
- A energy rating
- 2600W total power
- Cable with UK plug (13A connection)
- W595 x H595 x D575 mm



UBO753BK  
HYDROLYTIC OVEN




KEY FEATURES

78L Capacity • Vap-Clean Hydrolytic Cleaning  
Red LED Touch Programmer  
9 Functions • 2 Oven Shelves • Cool Touch Door

SPECIFICATION

- True fan with grill
- Oven light
- Black glass control panel
- Silver rotary knobs
- Black glass door with aluminium handle
- 2x oven shelves, 1x oven tray, 1x trivet
- A energy rating
- 2600W total power
- Cable with UK plug (13A connection)
- W595 x H595 x D575 mm





## XXL OVENS




**UBO754SS**  
PYROLYTIC OVEN

**KEY FEATURES**

**78L Capacity • 8 Functions • Pyrolytic Cleaning**  
**Red LED Touch Programmer**  
**2 Oven Shelves • Active Cool Door**

**SPECIFICATION**

- True fan with grill
- Oven light
- Stainless steel control panel
- Silver rotary knobs
- Black glass door with aluminium handle
- 2x oven shelves, 1x oven tray, 1x trivet
- 1x telescopic rail set (100%)
- A energy rating
- 2600W total power
- Cable with UK plug (13A connection)
- W595 x H595 x D575 mm




**UBO754BK**  
PYROLYTIC OVEN

**KEY FEATURES**

**78L Capacity • 8 Functions • Pyrolytic Cleaning**  
**Red LED Touch Programmer**  
**2 Oven Shelves • Active Cool Door**

**SPECIFICATION**

- True fan with grill
- Oven light
- Black glass control panel
- Silver rotary knobs
- Black glass door with aluminium handle
- 2x oven shelves, 1x oven tray, 1x trivet
- 1x telescopic rail set (100%)
- A energy rating
- 2600W total power
- Cable with UK plug (13A connection)
- W595 x H595 x D575 mm






## STUDIO COLLECTION



### UBC72MF

MULTIFUNCTION OVEN

CATA 500




#### KEY FEATURES

**72L Capacity • 13 Functions • Easy Clean Enamel**  
**Full Touch Control with White LED Display**  
**Full Extension Telescopic Rails • Cool Touch Door**

#### SPECIFICATION

- True fan with grill
- Sabbath mode
- Rapid Pre-heat
- 2x Oven lights
- Black glass with silver handle
- 3 layer glazed door
- 1x oven shelf, 1x deep tray
- 1x trivet
- 1x telescopic rail set (100%)
- A+ energy rating
- 2900W total power
- Cable without plug (13A connection)
- W595 x H596 x D566 mm



### UBC72PY

PYROLYTIC OVEN

CATA 500




#### KEY FEATURES

**72L Capacity • 14 Functions • Pyrolytic Cleaning**  
**Full Touch Control with White LED Display**  
**Full Extension Telescopic Rails • Active Cool Door**

#### SPECIFICATION

- True fan with grill
- Sabbath mode
- Rapid Pre-heat
- 2x Oven lights
- Blue enamel oven interior
- Black glass with silver handle
- 4 layer glazed door
- 1x oven shelf, 1x deep tray
- 1x trivet
- 1x telescopic rail set (100%)
- A+ energy rating
- 3200W total power
- Cable without plug (16A connection)
- W595 x H596 x D566 mm





## STUDIO COLLECTION



## UBC45CM

COMPACT COMBINATION OVEN

CATA-500




## KEY FEATURES

**50L Capacity • 15 Functions • Microwave, Grill & Oven**  
**Full Touch Control with White LED Display**  
**Easy Clean Enamel • Combination Cooking**

## SPECIFICATION

- 15 functions
- 13 auto-cook programmes
- 900W Flatbed microwave
- True fan with grill
- Combination cooking
- Rapid pre-heat
- Oven light
- Black glass with silver handle
- 3 layer glazed door
- 1x oven shelf, 1x deep tray
- 1x trivet
- 1x glass tray
- A+ energy rating
- 3000W total power
- Cable without plug (16A connection)
- W595 x H454 x D568 mm



## UBC14WD

WARMING DRAWER

CATA-500




## KEY FEATURES

**22 Litre Capacity • 3 Functions**  
**Full Touch Control with White LED Display**  
**Stainless Steel Interior • 6 Place Settings**

## SPECIFICATION

- 25kg max load
- 3 warming functions - cup, crockery, food
- 9 Temperature levels (40°C-80°C)
- 6 hour timer
- Push to open
- Black glass
- 1000W total power
- Cable without plug (5A connection)
- W595 x H141 x D561 mm






## BLACK EDITION STUDIO COLLECTION



**CAT72MFBK**  
MULTIFUNCTION OVEN




### KEY FEATURES


**72L Capacity • 13 Functions • Easy Clean Enamel**  
**Full Touch Control with White LED Display**  
**Full Extension Telescopic Rails • Cool Touch Door**

### SPECIFICATION

- True fan with grill
- Sabbath mode
- Rapid Pre-heat
- 2x Oven lights
- Black glass with black handle
- 3 layer glazed door
- 1x oven shelf, 1x deep tray
- 1x trivet
- 1x telescopic rail set (100%)
- A+ energy rating
- 2900W total power
- Cable without plug (13A connection)
- W595 x H595 x D566 mm



**CAT72PYBK**  
PYROLYTIC OVEN




### KEY FEATURES

**72L Capacity • 14 Functions • Pyrolytic Cleaning**  
**Full Touch Control with White LED Display**  
**Full Extension Telescopic Rails • Active Cool Door**

### SPECIFICATION

- True fan with grill
- Sabbath mode
- Rapid Pre-heat
- 2x Oven lights
- Blue enamel oven interior
- Black glass with black handle
- 4 layer glazed door
- 1x oven shelf, 1x deep tray
- 1x trivet
- 1x telescopic rail set (100%)
- A+ energy rating
- 3200W total power
- Cable without plug (16A connection)
- W595 x H595 x D566 mm







## BLACK EDITION STUDIO COLLECTION

NEW



NEW



### CAT45CMBK

COMPACT COMBINATION OVEN

CATA 700




#### KEY FEATURES

**50L Capacity • 15 Functions • Microwave, Grill & Oven**  
**Full Touch Control with White LED Display**  
**Easy Clean Enamel • Combination Cooking**

#### SPECIFICATION

- 15 functions
- 13 auto-cook programmes
- 900W Flatbed microwave
- True fan with grill
- Combination cooking Rapid
- Pre-heat
- Oven light
- Black glass with black handle
- 3 layer glazed door
- 1x oven shelf, 1x deep tray
- 1x trivet
- 1x glass tray
- A+ energy rating
- 3200W total power
- Cable without plug (16A connection)
- W595 x H454 x D568 mm



### CAT14WDBK

WARMING DRAWER

CATA 700




#### KEY FEATURES

**22 Litre Capacity • 3 Functions • Antislip Mat**  
**Full Touch Control with White LED Display**  
**Stainless Steel Interior • 6 Place Settings**

#### SPECIFICATION

- 25kg max load
- 3 warming functions - cup, crockery, food
- 9 temperature levels (40°C-80°C)
- 6 hour timer
- Push to open
- Black glass
- 1000W total power
- Cable without plug (5A connection)
- W595 x H141 x D561 mm





## DOUBLE OVENS



### UBDO901SS

6 FUNCTION OVEN

CATA 300





#### KEY FEATURES

77L Main oven • 37L Top oven • Easy Clean Enamel  
Red LED Touch Programmer • 6 Functions

#### SPECIFICATION

- Main oven - True fan with oven light
- Top oven - Conventional with grill
- Stainless steel control panel
- Silver rotary knobs
- Black glass door with aluminium handle
- 2x oven shelves, 1x oven tray, 1x trivet
- A energy rating
- 4100W total power Cable without plug (20A connection)
- W595 x H890 x D575 mm



### UBDO901BK

6 FUNCTION OVEN

CATA 300




#### KEY FEATURES

77L Main oven • 37L Top oven • Easy Clean Enamel  
Red LED Touch Programmer • 6 Functions

#### SPECIFICATION

- Main oven - True fan with oven light
- Top oven - Conventional with grill
- Black glass control panel
- Silver rotary knobs
- Black glass door with aluminium handle
- 2x oven shelves, 1x oven tray, 1x trivet
- A energy rating
- 4100W total power Cable without plug (20A connection)
- W595 x H890 x D575 mm





## GAS OVENS



## UBGMMT60SS

3 FUNCTION OVEN

CATA 100




## KEY FEATURES

**56L Capacity • 3 Functions • Natural Gas**  
**Gas Oven and Grill • Oven Light**

## SPECIFICATION

- Electronic ignition
- Flame failure safety system
- Stainless steel control panel
- Aluminium rotary knobs
- Black glass door with aluminium handles
- Oven light
- Cooling fan
- 3 layer glazed door
- 1x ovenshelf, 1x oven tray, 1x trivet
- A energy rating
- 2100W oven power
- 1300W grill power
- Cable without plug (3A connection)
- W595 x H594 x D570 mm









## MICROWAVES



MICROWAVES







## MICROWAVE RANGE OVERVIEW

### FULLY BUILT IN

#### CATA 100



**UBPBK20LC.1** p35



**UBMICL20SS.1** p36



**UBMICL20BK.1** p36


#### CATA 300




**UBCOMBI25SS** p37




**UBCOMBI25BK** p37



**UB20MGBK** p38



**UB25MGBK** p39



**UB45CM31BK** p40



**UB38IMGBK** p41



**BMG25BK** p41

### FREESTANDING

#### CATA 100



**BMSW20.1** p42



**SWFBFSM** p42



## CATA MICROWAVES – FEATURES & BENEFITS

### Introduction

An essential for any modern kitchen, built-in microwaves offer fast, flexible cooking and extra capacity when needed. Designed to complement our single ovens, our range includes solo microwaves, with grill and full combination models. Available in various sizes (20-31 litres) and installation options to suit wall cabinets, in column or under-counter setups, they save counter space and add a sleek, modern look to any kitchen.

\* Note - not all features are available on all Cata models, please refer to individual model specs for details.



### Solo Microwave

Solo microwaves typically come with basic features like variable power levels, a timer, and a turntable to ensure even cooking. They are suitable for tasks such as reheating leftovers, defrosting frozen foods, and basic cooking like making popcorn or heating beverages.



### Microwave & Grill

Combining microwave cooking with grilling capability, these offer more versatility than solo microwaves. They have a grill element that allows you to brown and crisp the top of dishes, and come with a grill rack to place food closer to the grill element for better browning.



### Combination Microwave

The ultimate choice for those seeking a multifunctional microwave that can do it all! Combination microwaves feature microwave, grill and fan oven functions, or a combination of all three to offer unparalleled versatility. What sets them apart is their ability to circulate air and distribute heat effectively. This unique feature makes them excellent for baking delectable treats like brownies, cakes, and bread.



### Stainless Interior

Stainless steel offers advantages for microwave interiors as it's a smooth, non-porous material, making it easy to wipe clean, resist stains and food residue. This helps keep the microwave fresh-smelling and hygienic. Stainless steel helps to reflect and contain microwave energy, promoting even and efficient cooking. It's also a safe material for food contact and doesn't react with food or chemicals.



### Touch Controls

Touch control microwaves offer a modern, sleek aesthetic and user-friendly interface, allow for easy and quick selection of cooking settings, timers, and other functions with a simple tap. By eliminating buttons and knobs, touch control microwaves create a cleaner, more minimalist appearance.



### Auto-Cook Menu

These are pre-set programmes for common food items designed to save you time and effort. By selecting the food type and weight, the microwave sets the appropriate cooking parameters automatically.



### Wall Unit Microwave

A type of built-in microwave that boasts a more streamlined depth, is designed for installing into shallower depth cabinetry such as the higher level wall units or installation within eye-level kitchen units.



### In-Column Appliances

In-column layouts, where ovens and microwaves are stacked in tall cabinets, free up valuable countertop space, making cooking and prepping easier. We offer a range of built-in microwaves to suit in-column kitchen units, fitting at eye level over one of our single oven. Space-saving, ergonomic access, and a more streamlined kitchen aesthetic, makes them a great choice for modern kitchens.



### 45cm High Model

Ideal for replacing a 45cm compact on a budget, our brand new fully built-in 45cm high microwave can fill this space perfectly while providing all the cooking performance you need. Cata's 45cm high microwave features 31 litres of capacity, and comes fully loaded with grill and fan oven functions as well as microwave. It includes several auto-cook programmes too, so all the functionality of a compact combi but without the cost.





## BUILT-IN MICROWAVES



### UBPBK20LC.1

SOLO MICROWAVE

CATA 100




#### KEY FEATURES

**20L Capacity · 800W Microwave**  
**Grey Painted Interior · Mechanical Controls**



#### SPECIFICATION

- 5 Microwave power levels
- Interior light
- Black painted frame and control panels
- Black rotary knobs
- Black glass door
- Ø245mm glass turntable
- Cable with UK plug (13A connection)
- 340mm min. installation depth
- W595 x H388 x D345 mm





## BUILT-IN MICROWAVES



## UBMICL20SS.1

MICROWAVE &amp; GRILL





## KEY FEATURES

**20L Capacity • 700W Microwave • Grill Function**  
**Grey painted interior**  
**Digital Controls with Red LED Display**

## SPECIFICATION

- 5 Microwave power levels
- Combination Cooking
- Interior light
- Stainless steel frame and control panel
- Silver knobs and buttons
- Ø245mm glass turntable
- 1x grill rack
- Cable with UK plug (13A connection)
- Suitable for wall installation
- W595 x H390 x D313 mm



## UBMICL20BK.1

MICROWAVE &amp; GRILL




## KEY FEATURES

**20L Capacity • 700W Microwave • Grill Function**  
**Grey painted interior**  
**Digital Controls with Red LED Display**

## SPECIFICATION

- 5 Microwave power levels
- Interior light
- Black painted frame
- Silver buttons
- Black control panel and Black glass door
- Ø245mm glass turntable
- 1x grill rack
- Cable with UK plug (13A connection)
- Suitable for wall installation
- W595 x H390 x D313 mm





## BUILT-IN MICROWAVES



### UBCOMBI25SS

COMBINATION MICROWAVE

CATA 300




#### KEY FEATURES

**25L Capacity • 900W Microwave • Stainless Steel Interior  
Grill and Fan Oven Functions • 6 auto-cook programmes  
Digital Controls with White LED Display**

#### SPECIFICATION

- 5 Microwave power levels
- 900W microwave/1200W grill/1350W fan oven
- Combination cooking
- Interior light
- Stainless steel frame and control panel
- Silver buttons and rotary knob
- Black glass door with stainless steel trims
- Ø315mm glass turntable
- 1x grill rack
- Cable with UK plug (13A connection)
- 550mm min. installation depth
- W595 x H390 x D515mm



### UBCOMBI25BK

COMBINATION MICROWAVE

CATA 300




#### KEY FEATURES

**25L Capacity • 900W Microwave • Stainless Steel Interior  
Grill and Fan Oven Functions • 6 auto-cook programmes  
Digital Controls with White LED Display**

#### SPECIFICATION

- 5 Microwave power levels
- 900W microwave/1200W grill/1350W fan oven
- Combination cooking
- Interior light
- Black painted frame
- Silver buttons and rotary knob
- Black control panel and black glass door
- Ø315mm glass turntable
- 1x grill rack
- Cable with UK plug (13A connection)
- 550mm min. installation depth
- W595 x H390 x D515mm





## BUILT-IN MICROWAVES

NEW



### UB20MGBK

MICROWAVE & GRILL

CATA 300



#### KEY FEATURES

**20L Capacity • 700W Microwave**  
**Grill Function • Stainless Steel Interior**  
**Touch Control with Red LED Display**


#### SPECIFICATION

- 5 Microwave power levels
- 700W microwave/800W grill
- Combination cooking
- Interior light
- Black glass front and door
- Ø245mm glass turntable
- 1x grill rack
- Cable with UK plug (13A connection)
- Suitable for wall installation
- W595 x H390 x D313 mm



MICROWAVES


Matches UBO650/750 series Black ovens





## BUILT-IN MICROWAVES

NEW



### UB25MGBK MICROWAVE & GRILL

CATA 500



#### KEY FEATURES


**25L Capacity • 900W Microwave**  
**Grill Function • Stainless Steel Interior**  
**Touch Control with Red LED Display**

#### SPECIFICATION

- 5 Microwave power levels
- 900W microwave/1200W grill
- Combination cooking
- Interior light
- Black glass front and door
- Ø315mm glass turntable
- 1x grill rack
- Cable with UK plug (13A connection)
- 550mm min. installation depth
- W595 x H390 x D382mm




Matches UBO650/750 series Black ovens





## BUILT-IN MICROWAVES

NEW



### UB45CM31BK COMBINATION MICROWAVE

CATA 300




#### KEY FEATURES

**31L Capacity • 900W Microwave • Stainless Steel Interior  
Grill and Fan Oven Functions • 6 Auto-cook Programmes  
Touch Control with Red LED Display**

#### SPECIFICATION

- 5 Microwave power levels
- 900W microwave/1200W grill/1350W fan oven
- Combination cooking
- Interior light
- Black glass front and door
- Ø315mm glass turntable
- 1x grill rack
- Cable with UK plug (13A connection)
- 550mm min. installation depth
- W595 x H450 x D530mm



Matches UBO650/750 series Black ovens

MICROWAVES

#### Benefits

Swapping a 45cm high compact oven for a 45cm built-in combi-microwave offers greater flexibility and convenience without compromising on space. The combi-microwave combines traditional oven functions with microwave capabilities, allowing for faster cooking times and a wider range of meal preparation options - all in one appliance. It's an ideal upgrade for those looking to maximise functionality in a compact kitchen layout, at a much lower price point.



## BUILT-IN MICROWAVES



**UB38IMGBK**  
MICROWAVE & GRILL

CATA 300




### KEY FEATURES

**20L Capacity • 800W Microwave • Stainless Steel Interior**  
**Grill Function • 8 auto-cook programmes**  
**Touch Controls with White LED Display**

### SPECIFICATION

- 5 Microwave power levels
- 800W microwave/1000W grill
- Combination cooking
- Interior light
- Black grey striped glass door and control panel
- Stainless steel décor trims
- Ø245mm glass turntable
- 1x grill rack
- Cable with UK plug (13A connection)
- Suitable for wall installation
- W594 x H382 x D320mm



**BMG25BK**  
MICROWAVE & GRILL

CATA 300




### KEY FEATURES

**25L Capacity • 900W Microwave • Stainless Steel Interior**  
**Grill Function • 8 auto-cook programmes**  
**Electronic Rotary Controls with White LED Display**

### SPECIFICATION

- 5 Microwave power levels
- 900W microwave/1000W grill
- Combination cooking Interior light
- Black glass front and door
- Stainless steel décor trims
- Ø315mm glass turntable
- 1x grill rack
- Cable with UK plug (13A connection)
- 500mm min. installation depth
- W594 x H382 x D320mm





## FREESTANDING MICROWAVES



**BMSW20.1**  
SOLO MICROWAVE




## KEY FEATURES

**20L Capacity • 800W Microwave • Grey Painted Interior**  
**Digital Controls with Green LED Display**  
**No Surround Frame - Suitable for**  
**Caravan/Motorhome Installation**

## SPECIFICATION

- 5 Microwave power levels
- 8 auto-cook programmes
- Interior light
- Stainless steel frame and control panel
- Silver knobs and buttons
- Ø245mm glass turntable
- Cable with UK plug (13A connection)
- 370mm min. installation depth
- W461 x H335 x D359mm



**SWFBFSM**  
SOLO MICROWAVE




## KEY FEATURES

**20L Capacity • 700W Microwave • Grey Painted Interior**  
**Digital Controls with Green LED Display**  
**Flatbed - no rattles and easy to clean,**  
**perfect for caravans and motorhomes**

## SPECIFICATION

- 5 Microwave power levels
- Interior light
- Black outer body
- Black control panel
- Chrome buttons
- Black glass door with black frame
- Cable with UK plug (13A connection)
- W454 x H287 x D316 mm









## HOBBS



HOBBS



## ELECTRIC & GAS HOB RANGE OVERVIEW

### GAS HOBS

CATA 100

CATA300



**UBGHJ607** p48



**UBGHJ608LPG** p48



**UBGHFFJ60.1** p49



**UBGHDFJ60.1** p49

CATA 300



**UBGHDFJ70.1** p50



**UBGOG601BK** p51



**UBGOG701BK** p52



**UBGOG901BK** p52

### SOLID PLATE, CERAMIC & INDUCTION HOBS

CATA 100




**UBSPH60KCR** p54




**CUL30TC** p54




**UBTC30FLC** p55



**UBCH60KCR** p55



**UBTCC60F** p56



**UBTCC60LC.1** p56



**UBINDE60MT** p59



**UBIND60MT** p59



# ELECTRIC & GAS HOB RANGE OVERVIEW

## INDUCTION HOBS

### CATA 300



**UBIND30FLC** p60



**UBIND60MS** p60



**UBIND77F** p61



**UBIND90F** p61

HOBS

### CATA 500



**ICONFLEX60F** p62



**ICONFLEX90F** p62



**CATINDE60HF** p63



**CATIND90HF** p64

## VENTED INDUCTION HOBS

### CATA 300



**ICONFLEX75DD** p67



**ICONFXP75DDS** p67



**UBDD60CF** p68



**UBDD77CF** p68

### CATA 700



**CATDD60CHF** p69



**CATDD77CHF** p70



## GAS HOB - FEATURES & BENEFITS

### Introduction

Ignite your culinary passion with the Cata gas hob range, designed for every kitchen and cooking style. Available in 60cm, 77cm, and 90cm widths and with 4 or 5 burners, our hobs span from essential stainless steel designs with enamel pan supports to deluxe versions with robust full-coverage cast iron supports.

Our gas-on-glass models elevate your kitchen space with sophisticated elegance, powerful burners, exceptional safety and easy maintenance, making our gas hobs the ideal blend of function and flair.

\* Note - not all features are available on all Cata models, please refer to individual model specs for details.



### Triple Ring

Triple ring gas burners on Cata hobs offer powerful, even heat for fast and efficient cooking. With three concentric rings of flame, they provide a wider heating area, perfect for large pans, woks, or rapid boiling.

Able to deliver intense heat, they are ideal for stir-frying or searing, while still allowing precise control for versatile dishes.



### Cast Iron Pan Stands

The square section enamelled cast iron pan supports on our gas hobs deliver superior pan stability, securely handling heavy pots and pans without deflection or wobbling. Our special pan support locators ensure they stay in place when sliding pans around, and their robust construction ensures even heat distribution for consistent cooking results.



### Flame Safety

The flame failure safety system on Cata gas hobs automatically stops the gas flowing if the flame goes out, ensuring your kitchen stays safe and worry-free.



### Automatic Ignition

The automatic spark ignition on our gas hob makes lighting the burners quick and easy. When you push the control knob down and turn it to start the gas flow, a small electric spark is generated near the burner, instantly igniting the gas. No matches or lighters are needed!



### LPG Conversion Kit

All Cata gas hobs come with an LPG conversion kit, letting you easily switch from natural gas to LPG for total flexibility when installing your hob. Conversion must be done by a competent gas engineer, e.g. Gas Safe.



## GAS HOBS



UBGHJ607LPG



## UBGHJ607

4 BURNER GAS ON GLASS HOB

CATA 100




## KEY FEATURES

**60cm Width · 4 Gas Burners including 3kW Triple Ring**  
**Individual Enamel Pan Supports**  
**Automatic Electronic ignition · Matching Burner Caps**

## SPECIFICATION

- Black glass
- Rotary controls
- 4 natural gas burners
- Black control knobs with stainless steel cap
- Flame failure safety system
- 7.5kW total power
  - 1x 3.0kW triple ring burner
  - 2x 1.75kW semi-rapid burners
  - 1x 1.0kW auxillary burner
- LPG conversion kit (G30)
- Cable without plug (3A connection)
- W590 x D510 x H110 mm
- Cut-out W555 x D475 mm



UBGHJ608LPG



## UBGHJ608

4 BURNER GAS ON GLASS HOB

CATA 100




## KEY FEATURES

**64cm Width · 4 Gas Burners inc. 2x 2.5kW Rapid**  
**Individual Enamel Pan Supports**  
**Automatic Electronic ignition · Matching Burner Caps**

## SPECIFICATION

- Black glass
- Rotary controls
- 4 natural gas burners
- Black control knobs with stainless steel cap
- Flame failure safety system
- 7.5kW total power
  - 2x 2.5kW triple ring burner
  - 1x 1.75kW semi-rapid burners
  - 1x 1.0kW auxillary burner
- LPG conversion kit (G30)
- Cable without plug (3A connection)
- W640 x D510 x H110 mm
- Cut-out W555 x D475 mm





## GAS HOBS



**UBGHFFJ60LPG**



### UBGHFFJ60.1

4 BURNER STAINLESS GAS HOB

CATA 100




#### KEY FEATURES

**60cm Width • 4 Gas Burners including 2.5kW Rapid Matching Burner Caps • Enamel Pan Supports**  
Automatic Electronic ignition • Side Controls

#### SPECIFICATION

- Stainless steel
- Rotary controls on right hand side
- 4 Nat gas burners (G20)
- Black control knobs with aluminium cap
- Flame failure safety system
- 7.0kW power
  - 1x 2.5kW rapid burner
  - 2x 1.75kW semi-rapid burner
  - 1x 1.0kW auxillary burner
- LPG conversion kit (G30)
- Cable without plug (3A connection)
- W580 x D500 x H110 mm
- Cut-out W555 x D475mm



### UBGHDFJ60.1

4 BURNER STAINLESS GAS HOB

CATA 300




#### KEY FEATURES

**60cm Width • 4 Gas Burners including 3kW Triple ring Matching Burner Caps • Cast iron Pan Supports**  
Automatic Electronic ignition • Side Controls

#### SPECIFICATION

- Stainless steel
- Rotary controls on right hand side
- Black control knobs with aluminium cap
- Flame failure safety system
- 7.5kW total power
  - 1x 3.0kW rapid burner
  - 2x 1.75kW semi-rapid burners
  - 1x 1.0kW auxillary burner
- LPG conversion kit (G30)
- Cable without plug (3A connection)
- W580 x D500 x H110 mm
- Cut-out W555 x D475 mm





## GAS HOBS



HOBS

## UBGHDFJ70.1

5 BURNER STAINLESS GAS HOB

CATA 300



## KEY FEATURES

70cm Width • 5 Gas Burners including 3kW Triple ring  
Matching Burner Caps • Cast iron Pan Supports  
Automatic Electronic ignition • Front Controls

## SPECIFICATION


- Stainless steel
- Rotary controls on right
- 5 natural gas burners (G20)
- Black control knobs with aluminium cap
- Flame failure safety system
- 10kW total power
- 1x 3.0kW triple ring burner
- 1x 2.5kW rapid burners
- 2x 1.75kW semi rapid burners
- 1x 1.0kW auxiliary burner
- LPG conversion kit (G30)
- Cable without plug (3A connection)
- W680 x D500 x H110 mm
- Cut-out W555 x D475 mm

## COOKING ACCESSORIES



## GRILL4 - Cast Iron Skillet

Our cast iron skillet is durable, non-stick, with great heat retention, and it's easy to clean. High ridges drain fat, dual spouts allow drip-free pouring, and its square shape is ideal for searing, sautéing, and frying.





# GAS HOBS



## UBGOG601BK

4 BURNER GAS ON GLASS HOB

CATA 300



### KEY FEATURES

60cm Width • 4 Gas Burners including 3kW Rapid  
Matching Burner Caps • Cast Iron Pan Supports  
Automatic Electronic ignition • Front Controls

### SPECIFICATION


- Black glass
- Rotary controls
- 4 natural gas burners
- Black control knobs with stainless steel cap
- Flame failure safety system
- 7.5kW total power
  - 1x 3.0kW rapid burner
  - 2x 1.75kW semi-rapid burners
  - 1x 1.0kW auxillary burner
- LPG conversion kit (G30)  
Cable without plug  
(3A connection)
- W590 x D520 x H110 mm
- Cut-out W555 x D475 mm

### COOKING ACCESSORIES



#### GRILL3 - Reversible Griddle

Our double sided cast iron griddle offers a seared, restaurant-style finish, just place it on a gas hob. Its non-stick, dishwasher-safe surface is user-friendly. Reversible with flat and ridged sides, it drains fat for healthier, oil-free cooking.





## GAS HOBS



**UBGOG701BK**  
5 BURNER GAS ON GLASS HOB

CATA-300




## KEY FEATURES

**70cm Width • 5 Gas Burners including 3.5kW Triple Ring  
Matching Burner Caps • Cast Iron Pan Supports  
Automatic Electronic ignition**

## SPECIFICATION

- Black glass
- Rotary controls
- 5 natural gas burners (G20)
- Black control knobs with stainless steel cap
- Flame failure safety system
- 11kW total power
  - 1x 3.5kW triple ring burner
  - 1x 3.0kW rapid burner
  - 2x 1.75kW semi rapid burners
  - 1x 1.0kW auxiliary burner
- LPG conversion kit (G30)
- Cable without plug (3A connection)
- W700 x D510 x H110 mm
- Cut-out W555 x D475 mm



**UBGOG901BK**  
5 BURNER GAS ON GLASS HOB

CATA-300




## KEY FEATURES

**90cm Width • 5 Gas Burners including 3.5kW Triple Ring  
Matching Burner Caps • Cast Iron Pan Supports  
Automatic Electronic ignition**

## SPECIFICATION

- Black glass
- Rotary controls
- 5 natural gas burners (G20)
- Black control knobs with stainless steel cap
- Flame failure safety system
- 11kW total power
  - 1x 3.5kW triple ring burner
  - 1x 3.0kW rapid burner
  - 2x 1.75kW semi rapid burners
  - 1x 1.0kW auxiliary burner
- LPG conversion kit (G30)
- Cable without plug (3A connection)
- W874 x D520 x H110 mm
- Cut-out W828 x D478 mm





## CERAMIC HOBS





## SOLID PLATE & CERAMIC HOBS



### UBSPH60KCR

4 ZONE SOLID PLATE HOB




#### KEY FEATURES

60cm Width · 4 Sealed Hotplates · 6 Power Settings  
Rotary Knob Controls

#### SPECIFICATION

- Stainless Steel
- Red LED power indicator
- Silver control knobs
- 5.5kW total power
- Cable without plug (25A connection)
- W590 x D510 x H55 mm
- Cut-out W560 x D490 mm



### CUL30TC

2 ZONE DOMINO CERAMIC HOB




#### KEY FEATURES

30cm Width · 2 Cooking Zones · 9 Power Settings  
Touch Control with Red LED Display · Cutoff Timer


#### SPECIFICATION

- Black glass
- Child safety lock
- Residual heat indicator
- Standby mode
- 3kW total power
- Cable with UK plug (13A connection)
- W290 x D520 x H65 mm
- Cut-out W260 x D490 mm





CERAMIC HOBS



UBTC30FLC

2 ZONE DOMINO CERAMIC HOB

CATA 100





KEY FEATURES

30cm Width · 2 Cooking Zones · 9 Power Settings + Boost  
Touch Control with Red LED Display · Timer

SPECIFICATION

- Black glass
- Child safety lock
- Residual heat indicator
- Standby mode
- 3kW total power
- Cable with UK plug (13A connection)
- W290 x D520 x H65 mm
- Cut-out W260 x D490 mm



UBCH60KCR

4 ZONE ROTARY CERAMIC HOB

CATA 100




KEY FEATURES

60cm Width · 4 Cooking Zones · 15 Power Settings  
Rotary Knob Controls with Red LED Display


SPECIFICATION

- Black glass
- Rotary controls on right hand side
- Black control knobs
- Residual heat indicator
- Standby mode
- 6kW total power
- Cable without plug (32A connection)
- W580 x D510 x H50 mm
- Cut-out W560 x D490 mm





CERAMIC HOBS



HOBS

UBTCC60F

4 ZONE CERAMIC HOB

CATA 100



UBTCC60LC.1

4 ZONE CERAMIC HOB

CATA 100




KEY FEATURES

60cm Width · 4 Cooking Zones · 9 Power Settings  
Touch Control with Red LED Display · Timer

SPECIFICATION

- Black glass
- Child safety lock
- Residual heat indicator
- Standby mode
- 6kW total power
- Cable without plug (32A connection)
- W590 x H520 x D50 mm
- Cut-out W560 x D490 mm




KEY FEATURES

60cm Width · 2 Cooking Zones · 9 Power Settings  
Touch Control with Red LED Display · Satin Pro Glass

SPECIFICATION

- Satin Pro black glass
- Child safety lock
- Residual heat indicator
- Standby mode
- 6kW total power
- Cable without plug (32A connection)
- W590 x D520 x H50 mm
- Cut-out W560 x D490 mm





## INDUCTION HOB - FEATURES & BENEFITS

### Introduction

Cata induction hobs transform your cooking capabilities with lightning-fast heating and pinpoint temperature control. Offering top-notch energy efficiency, they help reduce your bills over time. Safer than gas or electric, our induction hobs stay cool to the touch, minimising burn risks, and include child locks and auto shut-off for added security. Our sleek induction hobs are easy to clean and add a touch of elegance to any kitchen.

\* Note - not all features are available on all Cata models, please refer to individual model specs for details.



### How Induction Works

Induction technology creates a magnetic field between the hob and metal cookware, like iron or steel pots and pans. When powered, an electric current in the hob's coils generates this field, producing eddy currents that directly heat the base of the cookware, rather than the hob surface itself. This results in rapid, precise heat control and greater energy efficiency, as minimal heat is lost in the process.



### Flex Zones

Some of Cata models offer bridge zones or flex zones, allowing you to combine two adjacent cooking zones into a larger one. This feature is useful for accommodating oversized cookware such as large pans, fish kettles or griddle plates with even heat, ideal for cooking steaks or large meals.




### Power Management

Induction hobs are usually hardwired in to your homes electrical system, but 13A plug-in models, designed for lower power, can be plugged into a standard UK wall socket. Note however, this may restrict the number, size, cooking power, and simultaneous use of pots and pans. Smart software efficiently manages power distribution across active zones.



### Configurable Power Limit

Cata's 13A plug-in induction hobs are all configurable to set the hob to operate within specific amperage limits, typically ranging from 6A to 32A. This is achieved through settings in the hob's software, which can be adjusted during installation to limit the maximum power draw to match the circuit's capacity (e.g., 3kW for 13A or 7.2kW for 32A).



### Touch Controls

All Cata's induction hobs come with an intuitive LED touch control display for effortless and precise control over cooking settings. Our touch controls come in two options - Touch Sense which uses individual touch buttons, and Touch Slider where temperature setting is as simple as sliding your finger.



### Hidden Touch Controls

Invisible when hob is off, our hidden touch slider displays the controls only when you need them. Simply touch the pulsing standby button and the hob comes to life, ready to help you prepare your favourite dishes.



### Pan Suitability

When using an induction hob, it's essential to choose cookware that is compatible with this type of hob. Induction hobs work by generating an electromagnetic field that directly heats the cooking vessel, so the cookware must have magnetic properties for it to work effectively. To check compatibility, simply see if a magnet sticks to the bottom of the pan.



### Precise Temp Control

Take advantage of the precise temperature control offered by our latest induction hobs. Cata's latest induction technology provides perfectly smooth power delivery, so you can adjust the heat level to suit your cooking needs accurately, whether it's simmering delicate sauces or searing meats at high temperatures.




### Boost Function

Our induction hobs include a boost or double boost function that temporarily increases power to a cooking zone for rapid boiling or intense searing. Once the boost period ends, the hob automatically returns to the previously set power setting, ensuring precise control and preventing overheating. The booster improves efficiency, enhances cooking precision, and helps energy savings by reducing cooking time.



### 6 Zone Hob

With six distinct cooking zones, our new Cata 90cm 6-zone induction hob helps elevate your cooking game. The three flex zones seamlessly combine pairs of zones into larger cooking areas, effortlessly accommodating oversized pots and pans. This versatile design delivers unmatched flexibility, precision, and power.



### Warming Functions

Activate one of up to four warming functions built in your Cata induction hob, cook according to your taste...



Melt - 42°C for melting butter, chocolate or warming up milk without burning.



Defrost - 55°C to gently thaw food in the pan.



Keep Warm - 70°C keeps pre-cooked food warm before serving.



Simmer - 90°C maintains a gentle boil, ideal for purée, rice, pasta or vegetables.



INDUCTION HOBS



UBINDE60MT  
4 ZONE PLUG-IN INDUCTION HOB




KEY FEATURES

60cm Width · 4 Cooking Zones · 9 Power Settings + Boost  
Touch Control with Red LED Display  
Power Management System, Configurable for 13A-32A

SPECIFICATION

- Black glass
- Cooking timer
- Child safety lock
- 3 preset warming functions for precise temp control
  - Defrost (50°C)
  - Keep warm (70°C)
  - Simmer (90°C)
- 2.8kW default power (configurable up to 7kW)
- Cable with UK plug (13A connection)
- Supplied with hardwire cable (32A connection)
- W590 x D520 x H58 mm
- Cut-out W560 x D490 mm
- Sustainable packaging



UBIND60MT  
4 ZONE INDUCTION HOB




KEY FEATURES

60cm Width · 4 Cooking Zones · 9 Power Settings + Boost  
Touch Control with Red LED Display

SPECIFICATION

- Black glass
- Cooking timer
- Child safety lock
- 3 preset warming functions for precise temp control
  - Defrost (50°C)
  - Keep warm (70°C)
  - Simmer (90°C)
- 7kW total power
- Cable without plug (32A connection)
- W580 x D520 x H58 mm
- Cut-out W560 x D490 mm
- Sustainable packaging





INDUCTION HOBS



HOBS

UBIND30FLC  
2 ZONE PLUG-IN INDUCTION HOB

CATA 300




KEY FEATURES

30cm Width • 2 Cooking Zones • 9 Power Settings + Boost  
Touch Control with Red LED Display

SPECIFICATION

- Black glass
- Cooking timer
- Child safety lock
- 2.8kW total power
- Cable with UK plug (13A connection)
- W290 x D520 x H70 mm
- Cut-out W265 x D490 mm



UBIND60MS  
4 ZONE INDUCTION HOB

CATA 300




KEY FEATURES

60cm Width • 4 Cooking Zones • 9 Power Settings + Boost  
Touch Slider Control with Red LED Display

SPECIFICATION

- Black glass
- Cooking timer
- Child safety lock
- 3 preset warming functions for precise temp control
  - Defrost (50°C)
  - Keep warm (70°C)
  - Simmer (90°C)
- 7kW total power
- Cable without plug (32A connection)
- W590 x D520 x H58 mm
- Cut-out W560 x D490 mm





INDUCTION HOBS



UBIND77F  
4 ZONE INDUCTION HOB


CATA 300



**KEY FEATURES**  
77cm Width · 4 Cooking Zones  
Touch Slider Control with Red LED Display  
9 Power Settings + Boost

**SPECIFICATION**

- Black glass
- Keep warm (70°C function)
- Cooking Timer
- Child safety lock
- 7.2kW total power
- Cable without plug (32A connection)
- W770 x D520 x H65 mm
- Cut-out W745 x D495 mm



UBIND90F  
5 ZONE INDUCTION HOB


CATA 300



**KEY FEATURES**  
90cm Width · 5 Cooking Zones  
Touch Slider Control with Red LED Display  
9 Power Settings + Boost



**SPECIFICATION**

- Black glass
- Keep warm (70°C function)
- Cooking Timer
- Child safety lock
- 9.3kW total power
- Cable without plug (45A connection)
- W900 x D520 x H65 mm
- Cut-out W875 x D495 mm






## FLEX INDUCTION HOBS



HOBS

### ICONFLEX60F 4 ZONE FLEX INDUCTION HOB

CATA 500




#### KEY FEATURES

60cm Width · 9 Power Settings + Boost  
4 Cooking Zones with 2 Flex Zones  
Touch Slider Control with Red LED Display

#### SPECIFICATION

- Black glass
- Keep warm (70°C function)
- Cooking Timer
- Child safety lock
- 7.2kW total power
- Cable without plug (32A connection)
- W590 x D520 x H65 mm
- Cut-out W565 x D495 mm



### ICONFLEX90F 5 ZONE FLEX INDUCTION HOB

CATA 500




#### KEY FEATURES

90cm Width · 9 Power Settings + Boost  
5 Cooking Zones with 2 Flex Zones  
28cm Central Cooking zone  
Touch Slider Control with Red LED Display

#### SPECIFICATION

- Black glass
- Keep warm (70°C function)
- Cooking Timer
- Child safety lock
- 9kW total power
- Cable without plug (40A connection)
- W900 x D520 x H65 mm
- Cut-out W875 x D495 mm





## HIDDEN CONTROL INDUCTION HOBS

NEW



Hidden Touch Controls  
Invisible until you wake-up the hob

### CATINDE60HF

4 ZONE PLUG-IN FLEX INDUCTION HOB

CATA 700




#### KEY FEATURES

**60cm Width • 4 Cooking Zones with 2 Flex Zones**  
**Power Management System - Configurable for 13-32A**  
**Hidden Touch Slider Control with White LED Display**  
**9 Power Settings + 2 Boost Settings**  
**Highest Quality Schott Ceran® Glass**

#### SPECIFICATION

- Black glass
- Cooking timer
- Child safety lock
- 4 preset warming functions for precise temp control
  - Melt (42°C)
  - Defrost (55°C)
  - Keep warm (70°C)
  - Simmer (90°C)
- 3 Cooking modes - Chef, Grill and BBQ
- Pause, recall, pot move and pasta/rice functions
- 2.8kW default power (configurable up to 7.2kW)
- Cable with UK plug (32A connection)
- Supplied with hardwire cable (32A connection)
- W590 x D520 x H60 mm
- Cut-out W565 x D495 mm
- Sustainable packaging



#### BENEFITS

The "Pot Move" function takes the hassle out of cooking by allowing the heat to follow your pan. When activated, this feature remembers your heat settings and automatically adjusts them as you move the pan across different zones of the hob. Slide a pot forward to increase the heat, or move it back to simmer, without pressing a single button.

#### ACCESSORIES




#### GRILL2 - Induction Griddle

This cast iron griddle, designed for Cata induction hobs with bridgeable zones, offers excellent heat distribution and retention for flavourful cooking. Its non-stick surface is ideal for vegetables and meats, promotes healthier cooking, and is dishwasher-safe for easy cleanup.



## HIDDEN CONTROL INDUCTION HOBS

NEW



Hidden Touch Controls  
Invisible until you wake-up the hob

HOBS

## CATIND90HF

6 ZONE FLEX INDUCTION HOB

CATA 700



## KEY FEATURES


**90cm Width • 6 Cooking Zones with 3 Flex Zones**  
**Hidden Touch Slider Control with White LED Display**  
**9 Power Settings + 2 Boost Settings**  
**Highest Quality Schott Ceran® Glass**

## SPECIFICATION

- Black glass
- Cooking timer
- Child safety lock
- 4 preset warming functions for precise temp control
  - Melt (42°C)
  - Defrost (55°C)
  - Keep warm (70°C)
  - Simmer (90°C)
- 3 Cooking modes - Chef, Grill and BBQ
- Pause, recall, pot move and pasta/rice functions
- 10.8kW total power
- Cable without plug (50A connection)
- W900 x D520 x H60 mm
- Cut-out W875 x D495 mm
- Sustainable packaging

## BENEFITS

"Chef Mode" on our induction hobs is designed for professional-style cooking at home. This intelligent feature divides the hob into preset heat zones - typically high, medium, and low - so you can move pans across the surface without adjusting the temperature manually. Sear, simmer, and keep warm all at once by simply shifting your cookware from one area to another.





## VENTED HOB - FEATURES & BENEFITS

### Introduction

Experience superior ventilation with our venting downdraft hobs. These sleek and efficient appliances seamlessly combine induction cooking with powerful ventilation, revolutionising the way we prepare our favourite dishes. Engineered to eliminate cooking fumes, grease and odours effortlessly. The filtered air can be recirculated back into the kitchen or vented outside through ducting to ensure a clean and comfortable cooking atmosphere.

\* Note - not all features are available on all Cata models, please refer to individual model specs for details.




### Space Saving Design

Cata has developed our most compact vented hob platform yet, with a height of only 17cm. The most compact built-in height on the market!!




### Rearward Outlet

Our specially developed telescopic ducting with wooden edge protection aids installing the venting hob for recirculation or external ventilation. Choose from our two vent kits - our flexible ducting kit for recirculation of air back into the kitchen, or our external ducting kit which comes with external wall vent.




### Compact Installation

The integration of the downdraft ventilation system into the hob eliminates the need for a separate overhead range hood, saving valuable kitchen space and creating a cleaner, uncluttered look. And because filtered air is directed rearwards to keep the overall height to a minimum, this allows extra space beneath the hob for full depth drawers.



### Patented Extraction System

The ultra low height is achieved with the use of our innovative and patented flat fan motor, that delivers high energy efficiency, powerful airflow and yet keeps noise low despite of its compact size.



### Grease Filter

The aluminium mesh filter basket removes greases from the cooking fumes, captures and removes grease particles from the air during cooking, preventing them from accumulating in the hood or exhaust system.

And to make life easier, its washable and can even be put in the dishwasher.




### Recirculation Filters

Activated carbon filter blocks act as a second line of filtration, and are highly efficient at removing cooking odours. The blocks can be regenerated after 6 to 9 months use, by baking them in the oven for around 1 hour at 120°C, to extend their life up to 5 years!




### Liquid Tank

Our cleverly designed liquid tank is there to capture any spilled-water or condensate safely. Liquid is contained in the easy-to-remove tank and features a drainage hole with cap, to allow you to drain off the majority before removal.



### Touch Controls

All of Cata vented induction hobs come with an intuitive LED touch control display for effortless and precise control over cooking settings. Our touch controls come in two options - Touch Sense which uses individual touch buttons, and our Touch Slider where temperature setting is as simple as sliding your finger.



### Hidden Touch Controls

Invisible when hob is off, our hidden touch slider displays the controls only when you need them. Simply touch the pulsing standby button and the hob comes to life, ready to help you prepare your favourite dishes.



### Boost Function

Our vented hobs include a boost function, temporarily boosts suction power to quickly remove strong odors or smoke. It ensures rapid removal of grease and steam, maintaining a cleaner environment. After the boost time is up, the extractor will automatically revert to a lower setting, preventing unnecessary power use.



### Warming Functions

Activate one of up to four warming functions built in to your induction hob, allowing you to cook according to your taste.

Melt - 42°C for melting butter, chocolate or warming up milk without burning. Defrost - 55°C to gently thaw food in the pan.

Keep Warm - 70°C keeps pre-cooked food warm before serving.

Simmer - 90°C maintains a gentle boil, ideal for purée, rice, pasta or veg.




### Flex Zones

All of our vented hobs feature bridge zones or flex zones, allowing you to combine two adjacent cooking zones into a larger one. This feature is useful for accommodating oversized cookware such as large pans, fish kettles, griddle plates, or multiple dishes with even heat, ideal for cooking steaks or large meals.





## VENTED HOBS



### ICONFLEX75DD

4 ZONE FLEX VENTED IND. HOB

CATA 300



#### KEY FEATURES

**77cm Width • 4 Cooking Zones with 2 Flex Zones**  
**Touch Control with Red LED Display**  
**9 Power Settings + Boost • Upto 580m³/h Airflow**

#### SPECIFICATION

- Black glass with black grille
- 6 fan speeds
- BLDC motor
- Keep warm (70°C function)
- Cooking timer
- Child safety lock
- Extractor delay shutdown function
- Aluminium grease filters (dishwasher safe)
- Noise max. 67dB
- A energy rating
- 7.2kW total power
- Cable without plug (32A connection)
- W770 x D520 x H283 mm
- Cut-out W750 x D490 mm



### ICONFLEX75DDS

4 ZONE FLEX VENTED IND. HOB

CATA 300



#### KEY FEATURES

**77cm Width • 4 Cooking Zones with 2 Flex Zones**  
**Touch Control with Red LED Display**  
**9 Power Settings + Boost • Upto 580m³/h Airflow**

#### SPECIFICATION

- Black glass with black grille
- Silver decor trims
- 6 fan speeds
- BLDC motor
- Keep warm (70°C function)
- Cooking timer
- Child safety lock
- Extractor delay shutdown function
- Aluminium grease filters (dishwasher safe)
- Noise max. 67dB
- A energy rating
- 7.2kW total power
- Cable without plug (32A connection)
- W770 x D520 x H283 mm
- Cut-out W750 x D490 mm

#### VENTILATION KITS

Ensure you purchase the correct vent kit depending on how you intend to vent your hob. The extractor unit in the Cata vented hob can be ducted to the outside or to recirculate.



#### KITVENT2F - External Ducting Kit

For venting to the outside (sold separately)



#### ICONFKIT2 - Recirculation Kit

For recirculating into the kitchen (sold separately)





## SHALLOW DEPTH VENTED HOBS



## UBDD60CF

4 ZONE FLEX VENTED IND. HOB




## KEY FEATURES

60cm or 77cm Width • 4 Cooking Zones with 2 Flex Zones  
 Touch Slider Control with Red LED Display  
 9 Power Settings + 2 Boost Settings • Upto 691m³/h Airflow


## SPECIFICATION

- Black glass with black grill
- 5 fan speeds + boost
- BLDC motor
- 3 preset warming functions
  - Melt (42°C)
  - Keep warm (70°C)
  - Simmer (90°C)
- Cooking timer
- Child safety lock
- Extractor delay shutdown
- Aluminium mesh grease filter (dishwasher safe)
- Noise max 69dB / boost 74dB
- A+ energy rating
- 7.4kW total power
- Cable without plug (32A connection)
- 60cm model
  - Max airflow 491m³/h / boost 673m³/h
  - W590 x D520 x H170 mm
  - Cut-out W560 x D490 mm
- 77cm model
  - Max airflow 498m³/h / boost 691m³/h
  - W770 x D520 x H170 mm
  - Cut-out W750 x D490 mm



## UBDD77CF

4 ZONE FLEX VENTED IND. HOB



## BENEFITS

- New "Compact" platform – 170mm Install Height, Smallest on the Market!
- 3 Preset Warming Functions - Melt, Keep Warm & Simmer
- Secondary Filtering with 4 Regenerative Ceramic Blocks (supplied with recirculation kit).

## SHALLOW DEPTH VENTILATION KITS

The Cata vented hob's extractor can be ducted outside or set to recirculate. Just remember to buy the appropriate vent kit with your new hob!

## KITVENTSL1X - External Ducting Kit

For venting to the outside (sold separately)



## KITVENTSL1R - Flexible Recirculation Kit

For recirculating into the kitchen (sold separately)





## SHALLOW DEPTH VENTED HOBS

NEW



**Hidden Touch Controls**  
Invisible until you wake-up the hob

### CATDD60CHF

4 ZONE FLEX VENTED INDUCTION HOB

CATA 700



#### KEY FEATURES


**60cm Width • 4 Cooking Zones with 2 Flex Zones**  
**Hidden Touch Slider Control with White LED Display**  
**9 Power Settings + 2 Boost Settings • Upto 673m<sup>3</sup>/h Airflow**  
**Highest Quality Schott Ceran® Glass**

#### SPECIFICATION

- Black glass with black grill
- 5 fan speeds + boost
- BLDC motor
- 4 preset warming functions
  - Melt (42°C)
  - Defrost (55°C)
  - Keep warm (70°C)
  - Simmer (90°C)
- Cooking timer
- Child safety lock
- Extractor delay shutdown
- Aluminium mesh grease filter (dishwasher safe)
- Noise max 68dB / boost 74dB
- A+ energy rating
- 7.4kW total power
- Cable without plug (32A connection)
- Max airflow 491m<sup>3</sup>/h / boost 673m<sup>3</sup>/h
- W590 x D520 x H170 mm
- Cut-out W560 x D490 mm

#### BENEFITS

- New "Compact" platform – 170mm Install Height, Smallest on the Market!
- 4 Preset Warming Functions - Melt, Defrost, Keep Warm & Simmer.
- Washable Grease Filter, Dishwasher Safe.
- Secondary Filtering with 4 Regenerative Ceramic Blocks (supplied with recirculation kit).
- Chef Cooking Modes to meet the needs of every culinary master.



#### SHALLOW DEPTH VENTILATION KITS

The Cata vented hob's extractor can be ducted outside or set to recirculate. Just remember to buy the appropriate vent kit with your new hob!

#### KITVENTSL1X - External Ducting Kit

For venting to the outside (sold separately)





## SHALLOW DEPTH VENTED HOBS

NEW



**Hidden Touch Controls**  
Invisible until you wake-up the hob

HOBS

## CATDD77CHF

4 ZONE FLEX VENTED INDUCTION HOB

CATA 700



## KEY FEATURES

**77cm Width • 4 Cooking Zones with 2 Flex Zones**  
**Hidden Touch Slider Control with White LED Display**  
**9 Power Settings + 2 Boost Settings • Upto 691m<sup>3</sup>/h Airflow**  
**Highest Quality Schott Ceran® Glass**

## SPECIFICATION


- Black glass with black grill
- 5 fan speeds + boost
- BLDC motor
- 4 preset warming functions
  - Melt (42°C)
  - Defrost (55°C)
  - Keep warm (70°C)
  - Simmer (90°C)
- Cooking timer
- Child safety lock
- Extractor delay shutdown
- Aluminium mesh grease filter (dishwasher safe)
- Noise max 69dB / boost 74dB
- A+ energy rating
- 7.4kW total power
- Cable without plug (32A connection)
- Max airflow 498m<sup>3</sup>/h / boost 691m<sup>3</sup>/h
- W770 x D520 x H170 mm
- Cut-out W750 x D490 mm

## BENEFITS

- New "Compact" platform – 170mm Install Height, Smallest on the Market!
- 4 Preset Warming Functions - Melt, Defrost, Keep Warm & Simmer.
- Washable Grease Filter, Dishwasher Safe.
- Secondary Filtering with 4 Regenerative Ceramic Blocks (supplied with recirculation kit).
- Chef Cooking Modes to meet the needs of every culinary master.

## KITVENTSL1R - Flexible Recirculation Kit

For recirculating into the kitchen (sold separately)









## HOODS



HOODS



## COOKER HOOD RANGE OVERVIEW

### WALL CHIMNEY HOODS

#### CATA 100



**UBSCH..SS** p77



**UBSCH..BK** p78



**UBSCH100..** p79



**UBSCG..SS** p80

#### CATA 100



**UBSCG..BK** p81



**ANG..BK** p82

#### CATA 300



**UBSBOX..SS** p83



**UBSBOX..BK** p84



**UBARUNW..** p85



**UBAHALO..** p86

#### CATA 500

#### CATA 700



**ICON..H** p87



**CATAGM..MB** p88



## INTEGRATED HOOD

CATA 100

CATA 300



**UBSVH60..** p89



**VHDSW60.1** p89



**UBSTH..SS.1** p90



**UBSTH60BK.1** p90



**UBINTD60SV.2** p91




**UBCAN..SV.2** p92



**UBSCAN..BK** p94

CATA 500

CATA 700



**UBICON..BK.1** p95



**CATICON..BK** p96

## ISLAND HOODS

## DOWNDRAFT HOODS

CATA 100

CATA 500



**ISLA90BK** p97



**ISLA90SS** p97



**UBDDGS90ABK1** p98



**UBDDGS60ABK1** p98

## CEILING HOODS

CATA 500



**UBSDCH902BK** p100



**UBSDCH901W** p100

HOODS



## COOKER HOOD - FEATURES & BENEFITS

### Introduction


Transform your kitchen with the Cata cooker hood range, where style meets superior performance. Choose from many styles, including box, angled glass, chimney, integrated, canopy, curved glass, downdraft, telescopic, ceiling or island, and available in widths ranging from 52cm to 90cm (depending on model) to suit any layout. Boasting airflow from 200m<sup>3</sup>/h to 640m<sup>3</sup>/h, our hoods they deliver powerful, energy-efficient yet quiet extraction, maintaining a fresh and calm cooking space.

\* Note - not all features are available on all Cata models, please refer to individual model specs for details.



### Airflow Rate

The extraction rate you need for a cooker hood depends on your kitchen size, cooking style, and how often you cook. A good rule is to aim for a rate of at least 10 times your kitchen's volume per hour - so a 50 cubic metre kitchen needs at least 500 m<sup>3</sup>/h. If you cook strong smelling foods or use high heat often, consider a hood with higher airflow to clear fumes, steam, and odours effectively.



### How to Calculate Your Room Size

To calculate the volume of a room, you need to measure its length, width, and height, then multiply these three dimensions together. Ensure all measurements are in the same unit (e.g., metres) before multiplying. Make sure to include any recesses or dining, family or living areas, if you have an open plan room. Example, if a room is 5 metres long, 4 metres wide, and 2.5 metres high, the volume would be: 5m x 4m x 2.5m = 50m<sup>3</sup> (cubic metres).

### Room Size Guidance

Whether you're working with a compact layout or a large open-plan design, there's a Cata hood with the ideal performance and style to complete your kitchen. To help your decision process, we have added an icon to each hood to determine what size kitchen (small, medium, large or extra large), that particular hood would be ideal for.



< 250 m<sup>3</sup>/h



250 - 450 m<sup>3</sup>/h



450 - 700 m<sup>3</sup>/h




> 700 m<sup>3</sup>/h



### Extraction

When setup for venting or extraction, a cooker hood pulls kitchen air, loaded with cooking fumes, smoke, and odours, and pushes it outside through a duct or vent. It's one of the best ways to clear pollutants and keep your kitchen fresh. You'll need a duct system installed to an outer wall or roof for it to work though.



### Recirculation

A cooker hood setup to recirculate filters kitchen air and sends it back into the same room. It traps grease and particles typically with a mesh filter, then captures the odours in a carbon filter before it releases the cleaned air. Advantage is no external vent needed, which makes setup a breeze - perfect for kitchens where ducting isn't an option.



### Touch Controls

Touch control on Cata cooker hoods offer a sleek, modern way to adjust settings like fan speed and lighting with a simple tap. It's intuitive and responsive, making operation effortless, especially during busy cooking. The flat, button-free surface is easy to clean, preventing grease buildup, and adds a stylish, high-tech look to your kitchen while enhancing functionality.



### Hidden Touch Controls

Invisible when the hood is off, our hidden touch displays the controls only when you need them. Simply touch the red standby button and the cooker hood comes to life, ready to help you ventilate your kitchen.



### Gesture Control

Meet the new Cata 700 Black Glass canopy hoods with Gesture Control. A built-in gesture sensor lets you adjust fan speeds and lighting with a hand wave - no touching required. No more fiddling around under the canopy trying to locate the controls, it's also perfect when your hands are messy from cooking, keeping things hygienic and hassle free.



### Boost Function

Some Cata cooker hoods include a boost function, designed to deliver maximum extraction power when you need it most. Whether you are stir frying, searing meat or cooking big meals, our boost function ensures that steam and smoke are quickly and effectively extracted, ensuring your kitchen stays fresh and clean.



### Black Filters

An aluminium grease filter in a cooker hood traps grease and smoke, keeping your kitchen air clean and the hood's motor safe. It's durable, reusable, and easy to clean. Cata's all-black aluminium filters add a stylish, modern twist while delivering top-notch performance - perfect for adding a modern vibe to your kitchen.




### Ambient Lighting

Illuminate your culinary creations with energy-efficient LED lighting. In addition to the LED downlights, some of our cooker hoods feature subtle LED decorative lights, adding a stylish touch and ambiance to your kitchen.



### BLDC Motor

Many of Cata's cooker hoods feature BLDC motors, which provide several advantages compared to traditional AC motors. Unlike brushed motors, which use mechanical brushes and a commutator, BLDC motors employ an electronic controller to switch DC currents, creating rotating magnetic fields that the permanent magnet rotor follows. This design provides higher energy efficiency, quieter operation, longer lifespan, and better performance.





## CHIMNEY HOODS



## UBSCH60SS.1 / UBSCH70SS.1 / UBSCH90SS.1

## CHIMNEY HOOD

CATA 100



## KEY FEATURES

**60cm, 70cm or 90cm Widths in Stainless Steel finish**

### Push Button Controls • 3 Fan Speeds

**Max airflow 362m<sup>3</sup>/h (60/70/90cm)**

**Noise max. 65dB (60/70/90cm)**

## SPECIFICATION




- Stainless steel housing & chimney
- 1.5W rectangular LED lamps (white light)
- 2x Aluminium grease filters
- 150mm air outlet
- B energy rating
- Carbon filter: SCF2 (not supplied)
- 2-piece height adjustable chimney section
- 66.5W total power
- Cable without plug (3A connection)
- W600-900 x D465 x H580/960 mm

## HOOD ACCESSORIES



## KITVENT2F - 150mm Hood Vent Kit

External ventilation kit suitable for all Cata hoods with 150mm outlets.





## CHIMNEY HOODS



## UBSCH60BK.1 / UBSCH70BK.1 / UBSCH90BK.1

CHIMNEY HOOD

CATA 100



## KEY FEATURES

60cm, 70cm or 90cm Widths in Black finish




Push Button Controls · 3 Fan Speeds

Max airflow 362m<sup>3</sup>/h (60/70/90cm)

Noise max. 65dB (60/70/90cm)

## SPECIFICATION

- Black painted housing & chimney
- 1.5W rectangular LED lamps (white light)
- 2x Aluminium grease filters
- 150mm air outlet
- B energy rating
- Carbon filter: SCF2 (not supplied)
- 2-piece height adjustable chimney section
- 66.5W total power
- Cable without plug (3A connection)
- W600-900 x D465 x H580/960 mm





## CHIMNEY HOODS



### UBSCH100BK.1 / UBSCH100SS.1

CHIMNEY HOOD

CATA 100



#### KEY FEATURES


**100cm Width in Black or Stainless Steel finish**

**Push Button Controls · 3 Fan Speeds**

**Max airflow 537m<sup>3</sup>/h · Noise max. 61dB**

#### SPECIFICATION

- Black painted or stainless steel housing & chimney
- 1.5W round LED lamps (white light)
- 3x Aluminium grease filters
- 150mm air outlet
- C energy rating
- Carbon filter: SCF1 (not supplied)
- 2-piece height adjustable chimney section
- 103W total power
- Cable without plug (3A connection)
- W1000 x D465 x H695/1075 mm





## CURVED GLASS HOODS



## UBSCG60SS / UBSCG70SS / UBSCG90SS

CURVED GLASS HOOD

CATA 100



## KEY FEATURES

60cm, 70cm or 90cm Widths in Stainless Steel finish

Push Button Controls · Noise max. 64dB (60/70cm) / 61dB (90cm)

Max airflow 308m<sup>3</sup>/h (60/70cm) / 509m<sup>3</sup>/h (90cm) · 3 Fan Speeds

## SPECIFICATION




- Curved glass decor panel
- Stainless steel housing & chimney
- 1.5W rectangular LED lamps (white light)
- 1x aluminium grease filters (60/70cm)
- 2x Aluminium grease filters (90cm)
- 150mm air outlet
- B energy rating (60/70cm)
- C energy rating (90cm)
- Carbon filter (not supplied): SCF1 (60/70cm) or SCF2 (90cm)
- 2-piece height adjustable chimney section
- 66.5W total power (60/70cm)
- 103W total power (90cm)
- Cable without plug (3A connection)
- W600-900 x D465 x H580/960 mm

## HOOD ACCESSORIES



## KITVENT2F - 150mm Hood Vent Kit

External ventilation kit suitable for all Cata hoods with 150mm outlets.





## CURVED GLASS HOODS



### UBSCG60BK / UBSCG70BK / UBSCG90BK

CURVED GLASS HOOD

CATA 100



#### KEY FEATURES

**60cm, 70cm or 90cm Widths in Black finish • 3 Fan Speeds**  
**Push Button Controls • Noise max. 64dB (60/70cm) / 61dB (90cm)**  
**Max airflow 308m<sup>3</sup>/h (60/70cm) / 509m<sup>3</sup>/h (90cm)**

#### SPECIFICATION




- Curved glass decor panel
- Black painted housing & chimney
- 1.5W rectangular LED lamps (white light)
- 1x aluminium grease filters (60/70cm)
- 2x Aluminium grease filters (90cm)
- 150mm air outlet
- B energy rating (60/70cm)
- C energy rating (90cm)
- Carbon filter (not supplied): SCF1 (60/70cm) or SCF2 (90cm)
- 2-piece height adjustable chimney section
- 66.5W total power (60/70cm)
- 103W total power (90cm)
- Cable without plug (3A connection)
- W600-900 x D465 x H580/960 mm

#### HOOD ACCESSORIES



#### KITVENT2F - 150mm Hood Vent Kit

External ventilation kit suitable for all Cata hoods with 150mm outlets.






## ANGLED GLASS HOODS



### ANG60BK / ANG70BK / ANG90BK

ANGLED GLASS HOOD

CATA 100



#### KEY FEATURES




60cm, 70cm or 90cm Widths in Black · 3 Fan Speeds

Touch controls with white LED display

Max airflow 326m<sup>3</sup>/h · Noise max. 64dB

#### SPECIFICATION

- Black glass decor panel
- Black painted housing & chimney
- Delay timer function
- 2x 1.5W round LED lamps (white light)
- Aluminium grease filters
- 150mm air outlet
- B energy rating
- Carbon filter: TMFILT1 (not supplied)
- 2-piece height adjustable chimney section
- 68W total power
- Cable without plug (3A connection)
- W595-895 x D348 x H835/1120 mm





## BOX HOODS



## UBSBOX60SS / UBSBOX70SS / UBSBOX80SS / UBSBOX90SS

TOUCH CONTROL BOX HOOD

CATA-300



## KEY FEATURES

60cm, 70cm, 80cm or 90cm Widths in Stainless Steel finish


Touch controls with white LED display ▪ BLDC Motor

3 Fan Speeds + Boost ▪ Max airflow 482m<sup>3</sup>/h / boost 597m<sup>3</sup>/h

Noise max. 58dB / boost 63dB

## SPECIFICATION

- Stainless steel housing & chimney
- Black glass control panel
- 2x 1.5W rectangular LED lamps (white light)
- Aluminium grease filters
- 150mm air outlet
- A++ energy rating
- Carbon filter: SCF1 (not supplied)
- 2-piece height adjustable chimney section
- 73W total power
- Cable without plug (3A connection)
- W600-900 x D505 x H560/1040 mm





## BOX HOODS



## UBSBOX60BK / UBSBOX70BK / UBSBOX80BK / UBSBOX90BK

TOUCH CONTROL BOX HOOD

CATA 300




## KEY FEATURES

60cm, 70cm, 80cm or 90cm Widths in Black finish  
 Touch controls with white LED display • BLDC Motor  
 3 Fan Speeds + Boost • Max airflow 482m<sup>3</sup>/h / boost 597m<sup>3</sup>/h  
 Noise max. 58dB / boost 63dB

## SPECIFICATION

- Black painted housing & chimney
- Black glass control panel
- 2x 1.5W rectangular LED lamps (white light)
- Aluminium grease filters
- 150mm air outlet
- A++ energy rating
- Carbon filter: SCF1 (not supplied)
- 2-piece height adjustable chimney section
- 73W total power
- Cable without plug (3A connection)
- W600-900 x D505 x H560/1040 mm



## HOOD ACCESSORIES



## KITVENT2F - 150mm Hood Vent Kit

External ventilation kit suitable for all Cata hoods with 150mm outlets.



## ANGLED GLASS HOODS



### UBARUNW6 / UBARUNW7 / UBARUNW9

ANGLED GLASS "RUNWAY" HOOD

CATA 300






#### KEY FEATURES

60cm, 70cm or 90cm Widths in Black • 3 Fan Speeds  
Touch controls with white LED display • Noise max. 67dB  
Max airflow 400m<sup>3</sup>/h

#### SPECIFICATION

- Black glass decor panel
- Black painted housing & chimney
- Delay timer function
- 3W white "Runway" ambient lighting
- 3W strip LED lamp (white light)
- Aluminium grease filters
- 125mm air outlet
- B energy rating
- Carbon filter: CARBFILT4 (not supplied)
- 2-piece height adjustable chimney section
- 96W total power
- Cable without plug (3A connection)
- W598-898 x D465 x H825/1055 mm





## ANGLED GLASS HOODS



### UBAHALO6 / UBAHALO7 / UBAHALO9

ANGLED GLASS "HALO" HOOD

CATA 300



#### KEY FEATURES

**60cm, 70cm or 90cm Widths in Black • 3 Fan Speeds**  
**Touch controls with white LED display • Noise max. 67dB**  
**Max airflow 400m<sup>3</sup>/h**

#### SPECIFICATION




- Black glass decor panel
- Black painted housing & chimney
- Delay timer function
- 3W blue "Halo" ambient lighting
- 3W strip LED lamp (white light)
- Aluminium grease filters
- 125mm air outlet
- B energy rating
- Carbon filter: CARBFILT4 (not supplied)
- 2-piece height adjustable chimney section
- 96W total power
- Cable without plug (3A connection)
- W598-898 x D465 x H825/1055 mm

#### HOOD ACCESSORIES



#### KITVENT1F - 125mm Hood Vent Kit

External ventilation kit suitable for all Cata hoods with 120mm or 125mm outlets.





## ANGLED GLASS HOODS

NEW



### ICON60H / ICON80H / ICON90H

HIDDEN TOUCH ANGLED GLASS HOOD

CATA 500



#### KEY FEATURES




**60cm, 80cm or 90cm Widths in Black • 9 Fan Speeds**  
**Hidden touch controls with white LED display • BLDC Motor**  
**Max airflow 523m³/h (60/80cm) / 527m³/h (90cm)**  
**Noise max. 58dB (60/80cm) / 62dB (90cm)**

#### SPECIFICATION

- Black glass decor panel
- Black painted housing & chimney
- Delay timer function
- 2x 1.5W round LED (white light)
- Aluminium grease filters
- 150mm air outlet
- A++ energy rating (60/80cm)
- A+ energy rating (90cm)
- Carbon filter: TMFILT4 (not supplied)
- 2-piece height adjustable chimney section
- 103W total power (60/80cm) 73W total power (90cm)
- Cable without plug (3A connection)
- W595-895 x D378 x H825/1110 mm

#### BENEFITS

- BLDC motor for higher energy efficiency, quieter operation, longer lifespan, and better performance.
- Touch controls are hidden until you want to use the cooker hood.
- 9 different fan speed settings for ultimate control of your ventilation.







## ANGLED GLASS HOODS



HOODS

### CATAGM60MB / CATAGM90MB

AUTO-OPEN ANGLED GLASS HOOD

CATA 700



#### KEY FEATURES



**90cm or 60cm Widths in Matt Black Finish**  
**Hidden touch controls with red/white LED display • BLDC Motor**  
**Max airflow 459m<sup>3</sup>/h / boost 567m<sup>3</sup>/h**  
**Noise max. 59dB / boost 61dB • 3 Fan Speeds + Boost**

#### SPECIFICATION

- Matt Black glass décor panels
- Black painted housing & chimney
- Delay timer function
- 2x 1.5W round LED (white light)
- Black Aluminium grease filters
- 150mm air outlet
- A++ energy rating
- Carbon filter: SCF1 (not supplied)
- 2-piece height adjustable chimney section
- 73W total power
- Cable without plug (3A connection)
- W595-895 x D402 x H710/1090 mm

#### BENEFITS

- Gorgeous matt black glass décor panels with polished control panel.
- BLDC motor for higher energy efficiency, quieter operation, longer lifespan, and better performance.
- Touch controls are hidden until you want to use the cooker hood.
- Auto-opening top panel, opening adjusts to suit airflow setting.
- Boost function for extra ventilation when really needed.



#### HOOD ACCESSORIES



#### KITVENT2F - 150mm Hood Vent Kit

External ventilation kit suitable for all Cata hoods with 150mm outlets.



## VISOR HOODS



### UBSVH60BK UBSVH60SS

VISOR HOOD

CATA 100



#### KEY FEATURES

60cm Width • Push Button Control • 3 Fan Speeds  
Max airflow 193m<sup>3</sup>/h • Noise max. 70dB

#### SPECIFICATION

- Stainless steel/black painted
- 2W rectangular LED lamp (white light)
- Acrylic grease filter
- 120mm air outlet
- C energy rating
- Carbon filter: SCF3 (not supplied)
- 62W total power
- Cable without plug (3A connection)
- W600 x D480 x H82 mm

#### HOOD ACCESSORIES



#### KITVENT1F - 125mm Hood Vent Kit


External ventilation kit suitable for all Cata hoods with 120mm or 125mm outlets.



### VHDSW60.1

ADJUSTABLE GLASS VISOR HOOD

CATA 100





#### KEY FEATURES

60cm Width • Push Button Control • 3 Fan Speeds  
Max airflow 342m<sup>3</sup>/h • Noise max. 69dB

#### SPECIFICATION

- Stainless steel
- Glass foldable visor
- 2x 5.5W LED lamps (white light)
- Acrylic grease filter
- 120mm air outlet
- D energy rating
- Carbon filter: CARBFILT1 (not supplied)
- 111W total power
- Cable without plug (3A connection)
- W600 x D470 x H112 mm





## TELESCOPIC HOODS



## UBSTH90SS.1 UBSTH60SS

TELESCOPIC HOOD

CATA 100




## KEY FEATURES

60cm or 90cm Widths · Rocker Switch Controls  
2 Fan Speeds · Max airflow 301m<sup>3</sup>/h  
Noise max. 64dB

## SPECIFICATION

- Stainless steel
- Telescopic canopy
- 2x 2W LED lamps (white light)
- Aluminium grease filter
- 150mm air outlet
- C energy rating
- Carbon filter: SCF2 (not supplied)
- 69W total power
- Cable without plug (3A connection)
- W600-900 x D320-490 x H194 mm



## UBSTH60BK.1

TOUCH CONTROL TELESCOPIC HOOD

CATA 300




## KEY FEATURES

60cm Width · 3 Fan Speeds  
Touch Control with White LED Display  
Max airflow 301m<sup>3</sup>/h · Noise max. 64dB

## SPECIFICATION

- Black painted housing
- Black glass control panel
- Delay timer function
- Telescopic canopy
- 2x 2W LED lamps (white light)
- Aluminium grease filter
- 150mm air outlet
- C energy rating
- Carbon filter: SCF2 (not supplied)
- 69W total power
- Cable without plug (3A connection)
- W600 x D320-490 x H194 mm






## INTEGRATED HOODS



### UBINTD60SV.2

INTEGRATED HOOD

CATA 100



#### KEY FEATURES

**60cm Width • Slider Controls • 3 Fan Speeds**  
**Max airflow 222m<sup>3</sup>/h • Noise max. 68dB**

#### SPECIFICATION


- Silver painted
- Full front flap for easy décor panel fitting
- 2W rectangular LED lamp (white light)
- Acrylic grease filter
- 120mm air outlet
- C energy rating
- Carbon filter: ATFILT1 (not supplied)
- 62W total power
- Cable without plug (3A connection)
- W600 x D282 x H395 mm

#### HOOD ACCESSORIES



#### KITVENT1F - 125mm Hood Vent Kit

External ventilation kit suitable for all Cata hoods with 120mm or 125mm outlets.





## CANOPY HOODS



## UBCAN52SV.2

SILVER CANOPY HOOD

CATA 100




## KEY FEATURES

**52cm Width • Slider Controls • 3 Fan Speeds**  
**BLDC Motor • Max airflow 316m<sup>3</sup>/h**  
**Noise max. 62dB**

## SPECIFICATION


- Silver painted
- 2x 2W round LED lamps (white light)
- Aluminium grease filter
- 150mm air outlet
- A energy rating
- Carbon filter: ATFILT8 (not supplied)
- 37W total power
- Cable without plug (3A connection)
- W520 x D296 x H162 mm



## UBCAN70SV.2

SILVER CANOPY HOOD

CATA 100




## KEY FEATURES

**70cm Width • Slider Controls • 3 Fan Speeds**  
**BLDC Motor • Max airflow 324m<sup>3</sup>/h**  
**Noise max. 64dB**

## SPECIFICATION

- Silver painted
- 2x 2W round LED lamps (white light)
- Aluminium grease filter
- 150mm air outlet
- A energy rating
- Carbon filter: ATFILT8 (not supplied)
- 37W total power
- Cable without plug (3A connection)
- W700 x D296 x H162 mm





## CANOPY HOODS






## CANOPY HOODS



### UBSCAN52BK

BLACK CANOPY HOOD

CATA 100



#### KEY FEATURES

**52cm Width · Push Button Control · 3 Fan Speeds**  
**BLDC Motor · Max airflow 517m<sup>3</sup>/h**  
**Noise max. 60dB**

#### SPECIFICATION


- Black painted
- 2x 1.5W round LED lamps (white light)
- Black aluminium grease filter
- 150mm air outlet
- C energy rating
- Carbon filter: SCF1 (not supplied)
- 103W total power
- Cable without plug (3A connection)
- W520 x D296 x H246 mm



### UBSCAN70BK

BLACK CANOPY HOOD

CATA 100





#### KEY FEATURES

**70cm Width · Push Button Control · 3 Fan Speeds**  
**BLDC Motor · Max airflow 517m<sup>3</sup>/h**  
**Noise max. 60dB**



#### SPECIFICATION

- Black painted
- 2x 1.5W round LED lamps (white light)
- Black aluminium grease filter
- 150mm air outlet
- C energy rating
- Carbon filter: SCF1 (not supplied)
- 103W total power
- Cable without plug (3A connection)
- W700 x D296 x H246 mm





## GLASS CANOPY HOODS



### UBICON52BK.1 / UBICON75BK.1

TOUCH CONTROL CANOPY HOOD

CATA 500



#### KEY FEATURES



52cm or 75cm Widths

Touch Control with Blue LEDs • 3 Fan Speeds

Max airflow upto 571m<sup>3</sup>/h • Noise max. 70dB

#### SPECIFICATION

- Black glass
- Delay timer function
- 2x 15W rectangular LED lamps (white light)
- Aluminium grease filter
- 150mm air outlet
- Carbon filter: ATFILT1 (not supplied)
- 78W total power
- Cable without plug (3A connection)
- 75cm model
  - B energy rating
  - W750 x D296 x H307 mm
  - Max airflow 571m<sup>3</sup>/h
- 52cm model
  - C energy rating
  - W520 x D296 x H307 mm
  - Max airflow 524m<sup>3</sup>/h







## GLASS CANOPY HOODS



### CATICON52BK / CATICON75BK

GESTURE CONTROL CANOPY HOOD

CATA 700



#### KEY FEATURES

52cm or 75cm Widths • Touch Control with Blue LEDs



Gesture Sensor • 3 Fan Speeds • BLDC Motor  
Max airflow upto 572m<sup>3</sup>/h • Noise max. 66dB

#### SPECIFICATION

- Black glass
- Delay timer function
- 2x 1.5W rectangular LED lamps (white light)
- Aluminium grease filter
- 150mm air outlet
- Carbon filter: ATFILT1 (not supplied)
- 78W total power
- Cable without plug (3A connection)
- A+ energy rating
- 75cm model
  - W750 x D296 x H307 mm
  - Max airflow 572m<sup>3</sup>/h
- 52cm model
  - W520 x D296 x H307 mm
  - Max airflow 460m<sup>3</sup>/h

#### BENEFITS

Discover our black glass canopy hoods featuring Gesture Control. A built-in sensor adjusts fan speeds and lighting with a wave - no touching required. Say goodbye to fumbling for controls, especially with messy hands, ensuring hygiene and convenience.





## ISLAND HOODS



### ISLA90BK / ISLA90SS

CURVED GLASS ISLAND HOOD

CATA 100



#### KEY FEATURES

**90cm Width • 3 Fan Speeds**  
**Chrome Soft Touch Electronic Button Control**  
**Max airflow 639m<sup>3</sup>/h • Noise max. 68dB**

#### SPECIFICATION


- Stainless steel/black painted housing & chimney
- Delay time function
- 4x 1.5W round LED lamps (white light)
- 2x Aluminium grease filters
- 150mm air outlet
- 2-piece height adjustable chimney section
- Carbon filter: TMFILT4 (not supplied)
- D energy rating
- 236W total power
- Cable without plug (3A connection)
- W895 x D600 x H709/1169 mm

#### HOOD ACCESSORIES



#### KITVENT2F - 150mm Hood Vent Kit

External ventilation kit suitable for all Cata hoods with 150mm outlets.





## DOWNDRAFT HOODS



## UBDDGS60ABK1 / UBDDGS90ABK1

BLACK GLASS DOWNDRAFT HOOD

CATA 500




## KEY FEATURES

**60cm or 90cm Widths • 4 Fan Speeds**  
**Touch Controls with Blue LED Display**  
**Max airflow 579m<sup>3</sup>/h (60cm) / 605m<sup>3</sup>/h (90cm)**  
**Noise max. 72dB (60cm) / 73dB (90cm)**

## SPECIFICATION

- Stainless steel housing with black glass decor panel
- Motorised lift
- Suitable for electric & gas hobs
- Delay timer function
- 2x 1W rectangular LED lamps (white light)
- Aluminium grease filter
- 150mm air outlet
- Carbon filter (not supplied): ATFILT3 (60cm) / ATFILT4 (90cm)
- 232W total power
- B energy rating
- Cable without plug (3A connection)
- W580-880 x D500 x H725/1110mm





## CEILING HOODS





## CEILING HOODS



HOODS

## UBSDCH902BK / UBSDCH901W

CEILING COOKER HOODS

CATA500



## KEY FEATURES


90cm Width • 3 Fan Speeds

Touch Controls with White LED Display

Max airflow 619m<sup>3</sup>/h • Noise max. 68dB

## SPECIFICATION

- Black/white glass
- Stainless steel housing
- Remote control included
- Delay timer function
- 2x 5W strip LED lamps (white light)
- 2x Aluminium grease filters
- 150mm air outlet
- A energy rating
- Carbon filter: SCF1 (not supplied)
- 240W total power
- Cable without plug (3A connection)
- W870 x D500 x H319 mm








## COOKING ACCESSORIES





GLASS & STAINLESS STEEL SPLASHBACKS



BSB675 / BSB775 / BSB975

BLACK GLASS SPLASHBACK

CATA 100



SPECIFICATION


- Black glass
- Easy clean surface
- 5mm toughened safety glass
- Fix with self adhesive tape (already fitted)
- W600 x H750 mm

SPECIFICATION

- Black glass
- Easy clean surface
- 5mm toughened safety glass
- Fix with self adhesive tape (already fitted)
- W700 x H750 mm

SPECIFICATION

- Black glass
- Easy clean surface
- 5mm toughened safety glass
- Fix with self adhesive tape (already fitted)
- W900 x H750 mm



SB60 / SB70 / SB90

STAINLESS STEEL SPLASHBACK

CATA 100



SPECIFICATION

- Brushed stainless steel
- Easy clean surface
- 10mm folded edges
- Self adhesive tape (temporary fixing)
- Secure with silicone adhesive (not supplied)
- W600 x H750 mm

SPECIFICATION

- Brushed stainless steel
- Easy clean surface
- 10mm folded edges
- Self adhesive tape (temporary fixing)
- Secure with silicone adhesive (not supplied)
- W700 x H750 mm

SPECIFICATION

- Brushed stainless steel
- Easy clean surface
- 10mm folded edges
- Self adhesive tape (temporary fixing)
- Secure with silicone adhesive (not supplied)
- W900 x H750 mm



## HIGH QUALITY COOKWARE



### GRILL2

#### GRIDDLE FOR INDUCTION HOBS

CATA 300

Griddle with ease using the GRILL2, designed for Cata induction hobs with bridgeable zones. Made from highest quality cast iron with a non-stick surface, it ensures excellent heat distribution and retention, preserving moisture and flavour. Perfect for vegetables and meats, its non-stick surface promotes healthier cooking and pop it in the dishwasher for easy cleanup.

L432 x W229 x H40 mm



### GRILL3

#### REVERSIBLE GRIDDLE FOR GAS HOBS

CATA 300

Achieve a seared, restaurant-style finish with the GRILL3 griddle. Crafted from high-quality cast iron with a non-stick surface, it's user-friendly and dishwasher-safe. Place it on your gas hob's pan support to cook multiple items simultaneously. This dry-fry griddle requires no oil or fat and is reversible, featuring a flat side and a ridged side that drains fat for healthier cooking.

L390 x W200 x H15 mm



### GRILL4

#### CAST IRON SQUARE SKILLET

CATA 300

Discover our GRILL4 premium cast iron skillet, a must-have for home cooks. Crafted for durability from high-quality cast iron, it offers excellent heat retention and even cooking. Its non-stick surface with high ridges drains fat, and dual spouts enable drip-free pouring. Easy to cook with and clean, it features sturdy handles for a secure grip. The square shape excels at searing, sautéing, and frying, from bacon to steaks.

L323 x W273 x H53 mm



### WOKRING1

#### CAST IRON WOK SUPPORT

CATA 300

The WOKRING1 wok support offers additional stability when using a round bottom wok. Suitable for most Cata gas hobs. This is the perfect accessory for lovers of oriental cuisine.



### WOKSSI

#### PREMIUM WOK PAN

CATA 300

Crafted from durable, scratch-resistant stainless steel, the WOKSSI wok pan is built to last and easy to clean, resisting stains and odours. Its flat base ensures even heating for perfectly cooked meals, while its large capacity is ideal for family dinners or entertaining. Versatile for ceramic, induction, or gas hobs, this non-reactive pan supports healthy cooking without altering flavours. With a sleek, modern design and sturdy, comfortable handle, it's a stylish and practical addition to any kitchen.



### PANSET1SS

#### PREMIUM 3 PIECE PAN SET

CATA 300

Elevate your cooking with the PANSET1SS 3-piece pan set, designed for home chefs who crave excellence. Made from commercial-grade stainless steel with a heavy-gauge, impact-bonded aluminum base, these pans ensure lasting durability and even heat distribution for flawless results. Ergonomic, riveted handles with an anti-slip satin finish offer a secure, comfortable grip. Versatile across all cooking surfaces—electric, gas, induction, and ceramic - this set is perfect for everything from stir-fries to sauces.



## HOOD VENT KITS



### KITVENT1F

125MM HOOD VENT KIT

CATA 100

- Ø125mm external vent
- Grey louvered gravity wall vent
- 2.5m flexible aluminium ducting
- Joint collar & adapter ring
- Universal hose clips
- Wall fixings



### KITVENT2F

150MM HOOD VENT KIT

CATA 100

- Ø150mm external vent
- Grey louvered gravity wall vent
- 3m flexible aluminium ducting
- Universal hose clips
- Wall fixings

ACCESSORIES

## CARBON FILTERS



### ATFILT1

CARBON FILTER 2PK



### ATFILT3

CARBON FILTER MAT



### ATFILT4

CARBON FILTER MAT



### ATFILT8

CARBON FILTER 2PK



### CARBFILT1

CARBON FILTER



### CARBFILT4

CARBON FILTER 2PK



### SCF1

CARBON FILTER 2PK



### SCF2

CARBON FILTER 2PK



### SCF3

CARBON FILTER MAT



### TMFILT1

CARBON FILTER 2PK



### TMFILT4

CARBON FILTER 2PK







## WINE COOLERS



WINE COOLERS



## WINE COOLER RANGE OVERVIEW

### FREESTANDING / UNDERCOUNTER WINE COOLERS

CATA 100



**UBSSWC15** p111



**UBBKWC15** p111



**UBSSWC30** p112



**UBBKWC30** p112

CATA 300



**UBSSWC60DD** p113



**UBBKWC60DD** p113



**UBSSWC60** p114



**UBBKWC60** p114

### BUILD-IN COLUMN WINE COOLERS

CATA 500



**UBICBKWC55** p116



**UBICBKWC110** p116





WINE COOLERS



## WINE COOLER - FEATURES & BENEFITS

### Introduction

If you're passionate about the taste and quality of your wine, then investing in a cooler is an absolute must. No matter how well stocked or neat your fridge may be - there are still temperature fluctuations that can ruin even some of life's finest bottles of vino. So take control over preserving aging wines with one of Cata's specialised and stylish wine coolers, designed to keep them at optimal levels for maximum enjoyment!

\* Note - not all features are available on all Cata models, please refer to individual model specs for details.



### Flexible Location

All Cata freestanding wine coolers are designed to give you total flexibility on where you position your cooler. Either fitted under the kitchen worktop with adjacent cabinetry, or if you prefer, used freestanding anywhere in your living space. Just select a location that is well-ventilated, away from direct sunlight, and free from excessive heat sources or extreme temperature fluctuations.



### Bottle Storage

Our beech wood shelves are excellent at absorbing vibrations from the compressor and other sources, which can disturb the sediment in wine bottles and potentially affect their taste. The wooden shelves can accommodate 750ml Bordeaux, Burgundy and Champagne bottles. Larger bottles can also be stored, but take care not to overcrowd the shelves, and remember to maintain proper spacing between bottles for air circulation and easy access.



### Touch Controls

Our wine coolers feature intuitive LED touch controls with a stylish, compact design, offering bright, easy-to-read displays for precise temperature control. LED technology boosts energy efficiency with lower power use than traditional displays, and the option to switch between °C and °F adds user convenience.



### On Door Touch Controls

The Cata 45cm high built-in column wine cooler features on-door touch controls with a sleek blue-white LCD display for easy temperature management. The intuitive touch interface offers a modern look and precise adjustments necessary for wine storage, without need to open the door and disturb the wine storage environment. The keylock function prevents accidental changes to your settings.



### UV Protection

Cata wine coolers all feature toughened UV-protected glass as standard, to stop wine aging prematurely. UV-protected glass ensures that your wines are shielded from harmful UV rays, preserving their quality, colour, flavour and aroma. A simple yet crucial feature to ensure every bottle stays as delicious as intended.




### Charcoal Filter

An active charcoal filter eliminates odours and impurities in the air, preventing contamination of your wine collection. Our 30cm and 60cm freestanding models feature a charcoal filter, to best protect your precious wine.



### Even Temperature

The fan in the rear of our wine coolers circulates cool air for even temperature distribution. The fan gently moves cool air around, preventing hot spots or cold patches that could harm your bottles - especially important for consistent aging. It also helps maintain stable humidity, reducing the risk of cork drying out.



### Reversible door

Our freestanding wine cooler range feature reversible doors that offer flexibility for your kitchen setup. By default, the doors hinge on the right, but you can switch them to open from the left. This lets you place the cooler wherever it fits best, allowing you easy access to enjoy your wine collection.



### Dual Zones

Cata wine coolers with dual cooling zones let you store different wines at their perfect temperatures in one unit. Featuring two separate sections each with its own temperature control - one zone can chill whites or rosés at a crisp 4-13°C, while the other keeps reds at a cozy 13-18°C. It's smart, space-saving convenience for wine lovers.





## FREESTANDING / UNDERCOUNTER WINE COOLERS



### UBBKWC15 UBSSWC15

SLIMLINE WINE COOLER

CATA 100




#### KEY FEATURES

**15cm Width · Single Cooling Zone · Wooden Shelves**  
**Full Touch Control with White LED Display**  
**Side Opening Reversible Door · 7 Bottle Capacity (18 Litres)**

#### SPECIFICATION

- Bevelled edge stainless steel framed door and stainless handle / Frameless black glass door and black handle
- Black painted casing & vent plate
- Temperature range 5°C - 18°C
- White LED top cabinet lighting
- UV Protected glass
- 80W total power
- SN/N/ST climate class
- Noise max. 44dB
- G energy rating
- Undercounter or freestanding
- Cable with UK plug (13A connection)
- W145 x H866/876 x D475 mm





## FREESTANDING / UNDERCOUNTER WINE COOLERS



### UBBKWC30 / UBSSWC30

SINGLE ZONE WINE COOLER

CATA 300



#### KEY FEATURES


30cm Width • Single Cooling Zone • Wooden Shelves

Full Touch Control with White LED Display

Side Opening Reversible Door • 18 Bottle Capacity (58 Litres)

#### SPECIFICATION

- Bevelled edge stainless steel framed door and stainless handle / Frameless black glass door and black handle
- Black painted casing & vent plate
- Temperature range 5°C - 18°C
- White LED top cabinet lighting
- UV Protected glass
- Active charcoal filter
- 75W total power
- SN/N climate class
- Noise max. 40dB
- F energy rating
- Undercounter or freestanding
- Cable with UK plug/ JST plug (13A connection)
- W295 x H870/880 x D575mm





## FREESTANDING / UNDERCOUNTER WINE COOLERS



### UBBKWC60DD / UBSSWC60DD

DUAL ZONE WINE COOLER

CATA 300




#### KEY FEATURES

**60cm Width • Dual Cooling Zones • Wooden Shelves**  
**Separate Dual Touch Controls with White LED Displays**  
**Side Opening Double Doors • 36 Bottle Capacity (120 Litres)**

#### SPECIFICATION

- Bevelled edge stainless steel framed door and stainless handle / Frameless black glass door and black handle
- Black painted casing & vent plate
- Temperature range 5°C - 22°C
- White LED top cabinet lighting
- UV Protected glass
- Active charcoal filter
- 110W total power
- SN/N/ST climate class
- Noise max. 41dB
- G energy rating
- Undercounter or freestanding
- Cable with UK plug (13A connection)
- W595 x H870/880 x D575mm





## FREESTANDING / UNDERCOUNTER WINE COOLERS



### UBBKWC60 / UBSSWC60

DUAL ZONE WINE COOLER

CATA 300




#### KEY FEATURES

**60cm Width • Dual Cooling Zones • Wooden Shelves**  
**Touch Control with White LED Display**  
**Side Opening Reversible Door • 51 Bottle Capacity (138 Litres)**

#### SPECIFICATION

- Bevelled edge stainless steel framed door and stainless handle / Frameless black glass door and black handle
- Black painted casing & vent plate
- Temperature range:  
5°C - 13°C upper /  
12°C - 18°C lower
- White LED top cabinet lighting
- UV Protected glass
- Active charcoal filter
- 100W total power
- SN/N/ST climate class
- Noise max. 41dB
- G energy rating
- Undercounter or freestanding
- Cable with UK plug (13A connection)
- W595 x H870/880 x D575mm





## WINE COOLERS





## BUILD-IN COLUMN WINE COOLERS



### UBICBKWC55

45CM SINGLE ZONE WINE COOLER

CATA 500




#### KEY FEATURES

**45cm High • Single Cooling Zone • Wooden Shelves**  
**On Door Touch Controls with Blue White LCD Display**  
**Drop Down Opening Door • 24 Bottle Capacity (53 Litres)**

#### SPECIFICATION

- Frameless black glass door and black handle
- White LED top cabinet lighting
- Temperature range 5°C - 19°C
- White LED top cabinet lighting
- UV Protected glass
- 75W total power
- SN/N/ST climate class
- Noise max. 41dB
- G energy rating
- Build-in column or undercounter
- Cable with UK plug (13A connection)
- W592 x H450 x D563mm



### UBICBKWC110

90CM SINGLE ZONE WINE COOLER

CATA 500




#### KEY FEATURES

**90cm High • Single Cooling Zone • Wooden Shelves**  
**Touch Control with Blue White LCD Display**  
**Side Opening Reversible Door • 47 Bottle Capacity (116 Litres)**

#### SPECIFICATION

- Frameless black glass door and black handle
- White LED top cabinet lighting
- Temperature range 5°C - 19°C
- White LED top cabinet lighting
- UV Protected glass
- 80W total power
- SN/N/ST climate class
- Noise max. 41dB
- G energy rating
- Build-in column or undercounter
- Cable with UK plug (13A connection)
- W590 x H885 x D560mm









## REFRIGERATION



REFRIGERATION



## REFRIGERATION RANGE OVERVIEW

### INTEGRATED UNDER-COUNTER

CATA 100



**FBUF60E** p123



**FZBU60E** p124



**FBUIB60E** p124

### INTEGRATED COMBI

CATA 100



**FFBIS5050E** p125



**FFBIS7030E** p125



INTEGRATED COMBI

CATA 300

CATA 500



FFBIFF5050E p126



FFBIFF7030E p126



FFBITNF73E p128

INTEGRATED TALL

CATA 300



FFTL60E p129



FFTFZ60E p130

REFRIGERATION



## REFRIGERATION - FEATURES & BENEFITS

### Introduction

Our integrated cooling appliances are designed to seamlessly blend into your kitchen cabinetry, offering a stylish and cohesive look that deliver seamless integration to complement your interior design. With features such as adjustable shelves, large freezer drawers, humidity control VitaMod crispers, digital dual temperature controls, and total no frost technology, we make storing, preserving and accessing your food and beverages effortless.

\* Note - not all features are available on all Cata models, please refer to individual model specs for details.



### Reversible Doors

All of Cata's integrated refrigerators allow the door hinges to be switched to open from either the left or right side, offering flexibility in placement and accessibility. This helps accommodate different kitchen layouts, ensuring easy access in tight spaces or corners. It also suits user preferences (e.g., left- or right-handed individuals) and can prevent obstruction of nearby appliances or walkways, improving convenience and functionality.



### Sliding Door Mechanism

A fridge sliding door mechanism is a clever setup that lets an integrated fridge door glide open smoothly while staying attached to your kitchen cabinetry. When you pull the cabinet handle, the door slides along a rail system fixed to the cabinet door.



### Fixed Hinge Mechanism

Cata's fixed hinges are perfect for door-on-door installation of integrated refrigerators, where a décor kitchen cabinet panel is mounted to the front of the appliance door, so opening as one unit. Our fixed hinges ensure a strong connection, with enhanced durability, better energy efficiency, quieter operation, and a seamless, flush look perfect for modern integrated kitchens.



### VitaMod Crisper

Thanks to a special light source close to the natural spectrum of sunlight, VitaMod ensures that fruits and vegetables stored in the refrigerator continue their natural ripening process, thus preserving their nutritional values at higher levels.



### Humidity Controlled Crisper

The fridge's salad crisper with humidity control extends produce freshness by optimizing moisture. High humidity (80-95%) keeps greens like lettuce crisp, while low humidity (50-60%) prevents rot in fruits like apples. It preserves texture, nutrients, and reduces waste. Adjustable vents and our special filter customise storage for longer-lasting produce.



### Total No Frost

Our new Total No Frost refrigerators keep air flowing evenly in both the fridge and freezer, stopping moisture build-up - no more soggy salads or iced up freezer walls. With dual independent air systems, featuring separate fans and evaporators, there's no air transfer between compartments. This ensures perfect freshness, ideal humidity, no odour mixing, and pure food flavours in each section.



### Frost Free

Models with our Frost Free technology prevent ice build-up, reducing the need for manual defrosting and ensuring a consistent temperature. Our frost free models have separate air circulations - fan circulated in the freezer and natural circulation in the fridge - and a heater that will melt the ice, at specific intervals, maintaining efficiency meaning no need for manual defrosting.



### Low Frost

Thanks to the wrap around evaporator, our Low Frost cooling technology offers more efficient cooling, less manual defrosting, and more flexible storage space.



### Freezer Shield

Conventional refrigerator appliances are able to work at a minimum ambient temperature of 10°C. However, with our Freezer Shield technology, Cata appliances can work even if the ambient temperature is as low as -15°C, which makes it possible to place the appliances in closed locations such as the garage.



### Turbo Fan

Several of our refrigerators have a turbo fan, which is a small, high-speed fan designed to boost air circulation and evenly distribute cold air across all shelves and corners, eliminating any warm spots. This helps food stay fresher longer, especially in larger or packed fridges. The turbo fan also speeds up cooling after the door's been opened, cuts down on frost buildup, and runs quietly, making your fridge more efficient and reliable.



### Metal Cooling

Our newest cooling models feature a chic, high-performing metal cooling wall, crafted from stainless steel for better efficiency. The metal cooling wall conducts cold air faster and more evenly than plastic-lined fridges, maintaining consistent temps across shelves, cutting warm spots to keep food fresher longer. Durable, easy to wipe down, and with a modern, premium vibe, it's a standout feature.





INTEGRATED UNDER-COUNTER



FBUF60E  
STATIC FRIDGE

CATA 100




KEY FEATURES

134 Litre Capacity (net) • Static Refrigeration System  
Internal Mechanical Control with Rotary Dial  
Salad Crisper with Glass Cover • Fixed Hinges

SPECIFICATION

- White cabinet and white door
- Side opening door (reversible)
- White LED cabinet lighting
- 2 adjustable glass shelves
- 1 bottle shelf and 1 door shelf
- E energy rating
- SN climate class
- Noise max. 39dB
- 84W total power
- Cable with UK plug (13A connection)
- W595 x H818/888 x D548mm





## INTEGRATED UNDER-COUNTER



**FZBU60E**  
STATIC FREEZER




### KEY FEATURES

**96 Litre Capacity (net)** • Static Refrigeration System  
Internal Mechanical Control with Rotary Dial  
Freezer Shield • Fixed Hinges

### SPECIFICATION

- White cabinet and white door
- Side opening door (reversible)
- White LED cabinet lighting
- 3 freezer drawers
- E energy rating
- SN climate class
- Noise max. 39dB
- 113W total power
- Cable with UK plug (13A connection)
- W595 x H818/888 x D548mm



**FBUIB60E**  
STATIC FRIDGE WITH ICEBOX




### KEY FEATURES

**115 Litre Total Capacity (net)** • 98L Fridge / 17L Icebox  
Internal Mechanical Control with Rotary Dial  
Static Refrigeration System • Fixed Hinges  
Salad Crisper with Glass Cover

### SPECIFICATION

- White cabinet and white door
- Side opening door (reversible)
- White LED cabinet lighting
- 4\* Icebox with flap door
- 1 adjustable glass shelf
- 1 bottle shelf and 1 door shelf
- E energy rating
- SN climate class
- Noise max. 39dB
- 147W total power
- Cable with UK plug (13A connection)
- W595 x H818/888 x D548mm





## INTEGRATED COMBI



### FFBIS5050E

STATIC FRIDGE FREEZER

CATA 100




#### KEY FEATURES

**244 Litre Capacity (net) · 50/50 Split - 148L Fridge / 96L Freezer**  
**Internal Mechanical Control with Rotary Dial**  
**Low Frost (Static) Refrigeration System · Fast Freeze Function**

#### SPECIFICATION

- White cabinet and white door
- Side opening door (reversible)
- White LED cabinet lighting
- Salad crisper with humidity control and glass cover
- 3 adjustable glass shelves
- 1 bottle and 2 door shelves
- 3 freezer drawers and 1 slide-out tray
- Sliding door hinges
- E energy rating
- N/ST climate class
- Noise max. 38dB
- 152W total power
- Cable with UK plug (13A connection)
- W540 x H1770 x D545mm



### FFBIS7030E

STATIC FRIDGE FREEZER

CATA 100




#### KEY FEATURES

**251 Litre Capacity (net) · 70/30 Split - 181L Fridge / 70L Freezer**  
**Internal Mechanical Control with Rotary Dial**  
**Low Frost (Static) Refrigeration System · Fast Freeze Function**

#### SPECIFICATION

- White cabinet and white door
- Side opening door (reversible)
- White LED cabinet lighting
- Salad crisper with humidity control and glass cover
- 3 adjustable glass shelves
- 1 bottle and 3 door shelves
- 2 freezer drawers and 1 slide-out tray
- Sliding door hinges
- E energy rating
- N/ST climate class
- Noise max. 38dB
- 134W total power
- Cable with UK plug (13A connection)
- W540 x H1770 x D545mm





## INTEGRATED COMBI



### FFBIFF5050E

FROST FREE FRIDGE FREEZER

CATA 300




#### KEY FEATURES

**230 Litre Capacity (net) • 50/50 Split - 145L Fridge/85L Freezer**  
**Internal Mechanical Control with Rotary Dial**  
**Frost Free Refrigeration System • Turbo Fan • Freezer Shield**

#### SPECIFICATION

- White cabinet and white door
- Side opening door (reversible)
- White LED cabinet lighting
- Salad crisper with humidity control and glass cover
- 3 adjustable glass shelves
- 1 bottle and 2 door shelves
- 3 freezer drawers and 1 slide-out tray
- Sliding door hinges
- E energy rating
- N/ST/T climate class
- Noise max. 41dB
- 163W total power
- Cable with UK plug (13A connection)
- W540 x H1770 x D545mm



### FFBIFF7030E

FROST FREE FRIDGE FREEZER

CATA 300




#### KEY FEATURES

**243 Litre Capacity (net) • 70/30 Split - 180L Fridge/63L Freezer**  
**Internal Mechanical Control with Rotary Dial**  
**Frost Free Refrigeration System • Turbo Fan • Freezer Shield**

#### SPECIFICATION

- White cabinet and white door
- Side opening door (reversible)
- White LED cabinet lighting
- Salad crisper with humidity control and glass cover
- 3 adjustable glass shelves
- 1 bottle and 3 door shelves
- 2 freezer drawers and 1 slide-out tray
- Sliding door hinges
- E energy rating
- N/ST/T climate class
- Noise max. 41dB
- 187W total power
- Cable with UK plug (13A connection)
- W540 x H1770 x D545mm





## INTEGRATED REFRIGERATION





## INTEGRATED COMBI

**NEW**


### FFBITNF73E

TOTAL NO FROST FRIDGE FREEZER

CATA 500



#### BENEFITS


- White LED side strip lights for complete visibility of your the fridge's contents.
- Dual control provides separate temperature control for the fridge and freezer compartments.
- LED crisper ensures the longevity of your salad by simulating natural light spectrum.
- Metal cooling wall retains cool temperatures when the fridge door opens, enabling a quick return to optimal cooling.

#### KEY FEATURES

**233 Litre Capacity (net) • 70/30 Split - 170L Fridge / 63L Freezer**  
**Total No Frost (MultiCool) Refrigeration System • Dual Turbo Fans**  
**Internal Electronic Dual Control with White LED Display**  
**Metal Cooling Back Wall • VitaMod LED Crisper**

#### SPECIFICATION

- White cabinet and white door
- Side opening door (reversible)
- White LED cabinet lighting
- Fast freeze function
- Freezer shield
- VitaMod LED crisper with humidity control & glass cover
- 3 adjustable glass shelves with silver edging
- 1 bottle shelf and 3 door shelves with silver edging
- 2 freezer drawers and 1 slide-out tray
- Sliding door hinges
- E energy rating
- N/ST/T climate class
- Noise max. 41dB
- 187W total power
- Cable with UK plug (13A connection)
- W540 x H1770 x D545mm



REFRIGERATION



## INTEGRATED TALL



### FFTL60E

STATIC TALL LARDER FRIDGE

CATA-500



#### KEY FEATURES

**294 Litre Capacity (net)**


**Static Refrigeration System**

**Electronic Button Control with White LED Display**

**Turbo Fan • Super Cool Function**

#### SPECIFICATION

- White cabinet and white door
- Side opening door (reversible)
- White LED cabinet lighting
- 1 large salad crisper with humidity control & glass cover
- 1 salad crisper with glass cover
- 1 bottle shelf and 4 door shelves
- 4 adjustable glass shelves
- Sliding door hinges
- E energy rating
- SN/N/ST climate class
- Noise max. 39dB
- 98W total power
- Cable with UK plug (13A connection)
- W540 x H1770 x D545mm





## INTEGRATED TALL



### FFTFZ60E

FROST FREE TALL FREEZER

CATA 500




#### KEY FEATURES

**197 Litre Capacity (net) • Turbo Fan**  
**No Frost (Frost Free) Refrigeration System**  
**Electronic Touch Control with White LED Display**  
**Fast Freeze Function • Freezer Shield**

#### SPECIFICATION

- White cabinet and white door
- Side opening door (reversible)
- White LED cabinet lighting
- 2 large and 4 medium freezer drawers
- 2 compartments with flap covers
- Sliding door hinges
- E energy rating
- SN/N/ST climate class
- Noise max. 39dB
- 163W total power
- Cable with UK plug (13A connection)
- W540 x H1770 x D545mm



REFRIGERATION







## LAUNDRY





## LAUNDRY RANGE OVERVIEW

### INTEGRATED LAUNDRY

#### CATA 100



**UBV70WM** p135



**UBG70WM** p136



**UBG80WD** p136

#### CATA 300



**UBV80WM** p138



**UBV85WD** p138



# LAUNDRY FEATURES & BENEFITS

## Introduction

Discover the perfect blend of efficiency and elegance with our integrated washing machines. Whether you're tackling tough stains or caring for delicate fabrics, our machines are designed to deliver exceptional performance with every cycle. Featuring advanced functionalities like a variety of wash programmes, water and energy-saving modes, and user-friendly controls, you can customise each wash to your specific requirements.

\* Note - not all features are available on all Cata models, please refer to individual model specs for details.

## Digital Display

Included on all Cata models, the clear digital display shows the programme time, temperature, spin speed, delay timer and any extra functions you have selected.



## Steam Assist

The Steam Assist function on the our washing machine improves laundry by adding steam to the cycle. It deeply penetrates fabrics to remove tough stains like wine or grass without chemicals, sanitizes by killing bacteria and allergens - ideal for bedding or sensitive skin - and reduces wrinkles, minimising ironing.



## ECO-Logic Half Load

Our latest generation of laundry appliances include this clever technology. The machine can detect whether it is half-loaded or not, if it is energy consumption is automatically reduced by up to 50%. Additionally, water consumption and program duration are dramatically decreased. (UBV models only)



## Aquaball

The Aquaball feature on Cata's latest laundry machines is a special ball valve designed to maximise detergent efficiency and minimise detergent waste. It prevents up to 30% of detergent from being pumped away with the dirty water during the wash cycle. This ensures nearly all detergent is used to clean your clothes. (UBV models only)



## Allergy Care

The allergy care feature on our washing machines removes all allergens on the laundry and provides hygienic drying performance. It reduces allergens like dust mites and pollen using high temperatures washing, extra rinses, and sometimes steam to kill bacteria and remove irritants. It's ideal for sensitive skin or allergy sufferers, ensuring cleaner, safer laundry.





## INTEGRATED LAUNDRY



### UBV70WM

7KG WASHING MACHINE

CATA 100



#### KEY FEATURES


**7kg Load Capacity • 1400rpm Max Spin Speed**

**Rotary & Button Control with Amber LED Display**

**15 Wash Programmes • 3 Wash Options • ECO-Logic Half Load**

#### SPECIFICATION

- White/grey control panel, casing and door
- Aquaball detergent waste reduction feature
- Temperature & spin speed control
- Delay timer, child lock and memory functions
- Foam protection, Unbalance and Overflow protection
- Ø300mm door
- Stainless steel drum
- Inverter motor
- 2100W total power
- Noise max. 53dB (wash) / 76dB (spin)
- A energy rating
- 45kWh / 100 cycles (wash)
- Cable with UK plug (13A connection)
- W597 x H817 x D544 mm





## INTEGRATED LAUNDRY



### UBG70WM.2

7KG WASHING MACHINE




#### KEY FEATURES

**7kg Load Capacity • 1400rpm Max Spin Speed**  
**Rotary & Button Control with White LED Display**  
**16 Wash Programmes • 5 Wash Options • My Cycle**

#### SPECIFICATION

- White control panel, casing and door
- Pre-wash and extra rinse functions
- Temperature and spin speed control
- Delay timer, child lock and memory functions
- Ø310mm door
- Stainless steel drum
- Brushless DC motor
- 1950W total power
- Noise max. 72dB (spin)
- A energy rating
- 44kWh / 100 cycles (wash)
- Cable with UK plug (13A connection)
- W595 x H825 x D540 mm



### UBG80WD.3

8/6KG WASHER DRYER




#### KEY FEATURES

**8kg Wash/6kg Dry Load Capacity • 1400rpm Max Spin Speed**  
**Rotary & Button Control with White LED Display**  
**16 Wash/Dry Programmes • 5 Wash/Dry Options • My Cycle**

#### SPECIFICATION

- White control panel, casing and door
- 3 drying levels
- Temperature & spin speed control
- Delay timer, child lock and memory functions
- Stainless steel drum
- Ø310mm door
- Brushless DC motor
- 1950W total power
- Noise max. 72dB (spin)
- B/E energy rating
- 55kWh / 100 cycles (wash)
- 360kWh / 100 cycles (wash & dry)
- Cable with UK plug (13A connection)
- W595 x H825 x D540 mm





INTEGRATED LAUNDRY





## INTEGRATED LAUNDRY



### UBV80WM

8KG WASHING MACHINE




#### KEY FEATURES

**8kg Load Capacity • 1400rpm Max Spin Speed**  
**Rotary & Button Control with White LED Display**  
**15 Wash Programmes • 5 Wash Options • ECO-Logic Half Load**

#### SPECIFICATION

- Black control panel, white casing and door
- Aquaball detergent waste reduction feature
- Temperature & spin speed control
- Delay timer, child lock and memory functions
- Foam protection, Unbalance and Overflow protection
- Ø300mm door
- Stainless steel drum
- Inverter motor
- 2100W total power
- Noise max. 46dB (wash) / 74dB (spin)
- A energy rating
- 47kWh / 100 cycles (wash)
- Cable with UK plug (13A connection)
- W597 x H817 x D544 mm



### UBV85WD

8/5KG WASHER DRYER




#### KEY FEATURES

**8kg Wash/5kg Dry Load Capacity • 1400rpm Max Spin Speed**  
**Rotary & Button Control with White LED Display**  
**15 Wash/Dry Programmes • 5 Wash/Dry Options • ECO-Logic Half Load**

#### SPECIFICATION

- Black control panel, white casing and door
- 3 drying levels
- Aquaball detergent waste reduction feature
- Temperature & spin speed control
- Delay timer, child lock and memory functions
- Foam protection, Unbalance and Overflow protection
- Ø330mm door
- Stainless steel drum
- Inverter motor
- 1850W total power
- Noise max. 53dB (wash) / 75dB (spin) / 64dB (dry)
- A/E energy rating
- 47kWh / 100 cycles (wash)
- 326kWh / 100 cycles (wash & dry)
- Cable with UK plug (13A connection)
- W597 x H817 x D544 mm









## DISHWASHERS





# DISHWASHER RANGE OVERVIEW

## INTEGRATED DISHWASHERS

### CATA 300



**UBMD45M.1** p143



**UBMD60M.1** p144

### CATA 500



**UB45DW10SH** p145



**UB60DW16SH** p146



## DISHWASHER FEATURES & BENEFITS

### Introduction

Add sleek sophistication to your kitchen with Cata's fully integrated dishwashers, designed to blend seamlessly behind full-height furniture doors for a minimalist look. Easy to use, the controls reveal themselves only when the door is opened, and installation is simple with just a decor door and base plinth needed.

Choose between a slimline 45cm or spacious 60cm models, our latest packed with features like topcutlery tray, LED interior lighting, floor status light, sliding doors, rapid wash, turbo drying, quiet 45dB operation and upto 16 place setting capacity.

\* Note - not all features are available on all Cata models, please refer to individual model specs for details.

### Sliding Door

The sliding door system uses a hinge that attaches the dishwasher door to the cabinet door, allowing the cabinet door to slide upwards when the dishwasher door is opened. It eliminates the need to cut a hole or notch in the baseboard or plinth, ensuring a clean and seamless look.



### Interior Lighting

Our Cata 500 models feature an internal LED light which brightens the interior, making it easier to load and unload dishes, especially in dim kitchens or at night. It helps you spot missed spots, ensure proper placement for cleaning, and check for leftover food or detergent residue. This small feature boosts convenience, improves cleaning accuracy, and ensures nothing gets overlooked, saving time and effort.



### Adjustable Upper Basket

The upper basket can be repositioned higher or lower, depending on your needs. On Cata 300 models this is when the basket is unloaded, but on our new Cata 500 models, the upper basket has 3 level adjustment and can be raised or lowered even when loaded.



### Flexi-Tray Top Rack

The upper cutlery tray is designed to place forks, spoons and knives, long utensils and small items. With our Flexi-Tray it is possible to slide sections over each other, to create an extra height for taller glasses, dishes or pans in the upper basket.



### Floor Status Light

Our new Cata 500 models feature a floor LED status light, which shows you the status of the wash cycle. Red light when programme is running, and green when the programme has completed.





## INTEGRATED DISHWASHERS



### UBMD45M.1

SLIMLINE DISHWASHER

CATA 300




#### KEY FEATURES

**9 Place Settings • 4 Wash Programmes**  
**Button Controls with White LED Indicators**  
**Cutlery Basket • Natural Drying**

#### SPECIFICATION

- 2 grey baskets (upper & lower)
- Removable cutlery basket
- Silver control panel
- Adjustable upper basket (unloaded)
- 3 spray levels
- Natural drying
- 3/6/9/12h delay start timer
- 2100W total power
- Noise max. 49dB
- E energy rating
- 70kWh / 100 cycles
- Cable with UK plug (13A connection)
- W448 x H815 x D550mm





## INTEGRATED DISHWASHERS



### UBMD60M.1

DISHWASHER

CATA 300




#### KEY FEATURES

**12 Place Settings • 4 Wash Programmes**  
**Button Controls with White LED Indicators**  
**Cutlery Basket • Natural Drying**

#### SPECIFICATION

- 2 grey baskets (upper & lower)
- Removable cutlery basket
- Silver control panel
- Adjustable upper basket (unloaded)
- Half load function
- Stainless steel tub
- 3 spray levels
- Natural drying
- 3/6/9/12h delay start timer
- 2100W total power
- Noise max. 49dB
- E energy rating
- 92kWh / 100 cycles
- Cable with UK plug (13A connection)
- W598 x H815 x D550mm





## INTEGRATED DISHWASHERS

NEW



### UB45DW10SH

SLIMLINE SLIDING DOOR DISHWASHER

CATA 500



#### BENEFITS


- LED interior light makes checking on your dishes a doddle.
- Convenient status LED floor light to aid keeping progress of the wash cycle.
- Soft touch edging to folding cup shelves for protecting delicate wine glasses.

#### KEY FEATURES

**10 Place Settings • 6 Wash Programmes**  
**Button Controls with White LED Display**  
**Top Cutlery Rack • Turbo Drying • Sliding Door Hinges**

#### SPECIFICATION

- Grey lower basket with multifunctional racks
- Adjustable grey upper basket
- Soft-touch cup racks
- Easy-tray top rack
- Removable cutlery basket
- Black control panel
- Half load & extra dry functions plus save power mode
- Stainless steel tub with anti-bacterial filter
- Interior LED lighting
- Status LED floor light
- 3 spray levels
- Turbo drying
- Sliding door hinges (40mm)
- 1-24h delay start timer
- 1900W total power
- Noise max. 45dB
- E energy rating
- 76kWh / 100 cycles
- Cable with UK plug (13A connection)
- W450 x H824/874 x D550mm





## INTEGRATED DISHWASHERS

**NEW**


### UB60DW10SH

SLIDING DOOR DISHWASHER

CATA 500



#### BENEFITS


- Huge 16 place setting capacity.
- LED interior light makes checking on your dishes a doddle.
- Convenient status LED floor light to aid keeping progress of the wash cycle.
- Soft touch edging to folding cup shelves for protecting delicate wine glasses.

#### KEY FEATURES

**16 Place Settings • 6 Wash Programmes • Turbo Drying**  
**Button Controls with White LED Indicators**  
**Top Cutlery Rack with Sliding Trays • Sliding Door Hinges**

#### SPECIFICATION

- Grey lower basket with multifunctional racks
- Adjustable grey upper basket
- Soft-touch cup racks
- Flexi-tray top rack
- Removable cutlery basket
- Black control panel
- Half load, extra dry & extra hygiene functions plus save power mode
- Stainless steel tub with anti-bacterial filter
- Interior LED lighting
- Status LED floor light
- 3 spray levels
- Turbo drying
- Sliding door hinges (40mm)
- 1-24h delay start timer
- 1900W total power
- Noise max. 45dB
- E energy rating
- 98kWh / 100 cycles
- Cable with UK plug (13A connection)
- W598 x H820/870 x D570mm





# Cata UK Guarantee



## Cata Appliances UK - Your Peace of Mind, Guaranteed.

All Cata appliances come with a comprehensive warranty for your confidence and convenience. Register your product and you will benefit from extended cover free of charge:

	3 YR LABOUR + 5 YR PARTS	2 YR LABOUR + 5 YR PARTS	2 YR LABOUR + 2 YR PARTS	1 YR LABOUR + 1 YR PARTS
<b>CATA BRANDED APPLIANCES</b>	YES (after registration)	N/A	YES (unregistered)	N/A
<b>UNBRANDED APPLIANCES</b>	N/A	YES (after registration)	YES (unregistered)	N/A
<b>MICROWAVES</b>	N/A	N/A	N/A	YES


This means we will cover all costs for both parts and labour required to repair your appliance in a domestic environment. Our commitment ensures that any issues resulting from faulty materials or workmanship will be resolved promptly and professionally using only genuine Cata parts.

We are dedicated to delivering long-lasting performance and reliability, giving you complete peace of mind with every product.

For full warranty details and terms & conditions, please visit the official Cata UK website.  
Or register your guarantee here <https://yourappliancecover.co.uk/cata>



## Customer Services



**UK** 0344 800 1128

**IE** 01 4475261

[service@cata-appliances.co.uk](mailto:service@cata-appliances.co.uk)



cata 





#### CATA UK

**c/o Apelson Appliances UK Ltd**

Good Hope Close, Normanton Industrial Estate, Normanton, West Yorkshire, WF6 1TR, United Kingdom

**Trade Sales: 01977 628 109**

**Email: [sales@cata-appliances.co.uk](mailto:sales@cata-appliances.co.uk)**



[cata-appliances.co.uk](http://cata-appliances.co.uk)



[cataUK](https://www.linkedin.com/company/cataUK)



[Cata Appliances UK](https://www.facebook.com/CataAppliancesUK)



[cata.appliances.uk](https://www.instagram.com/cata.appliances.uk)



#### CNA GROUP

**Headquarters:** c/ Anabel Segura, 11, Edif. A, 3a pl. 28108. Alcobendas (Madrid. Spain)

**Factory:** c/ del Ter, 2, Apdo. 9. 08570. Torelló (Barcelona. Spain)

**Tlf: +34 938 594 100.- Fax +34 938 594 101.**

[www.cata.es](http://www.cata.es)

[www.cnagroup.es](http://www.cnagroup.es)

AAUK-CAT-KACB25-V5